



AMERICAN HUNTER



ELECTRONIC FEEDER KITS



OVERALL FEATURES

- Twist Lock OR Flat Mounting
- Upgraded industrial grade motor
- Rail mount for optional accessories
- Optional Solar Panel and Remote Activator available

XD-PRO KIT

ITEM: AH-XDPRO-KIT_UPC: 888151026045

NEW X-PRO ANALOG KIT

ITEM: AH-XPRO-KIT_UPC: 888151028131

XDE KIT

ITEM: AH-XDE-KIT_UPC: 888151026052

- Metal spin plate
- Metal Varmint guard w/optional shocking circuit, not included
- Recommended DE-30045 battery - not included
- Metal spin plate
- Metal Varmint guard w/optional shocking circuit, not included
- Recommended DE-30045 battery, not included
- Metal spin plate
- Recommended DE-30045 battery, not included




ECON KIT

ITEM: AH-ECON-KIT_UPC: 888151026076

- Twist Lock OR Flat Mounting
- Metal spin plate
- Rail mount for optional accessories
- Varmint guard and Solar Panel accessory plug-in built in
- Uses AA batteries, not included

TIMER FEATURES

- 1-4 Custom Time Settings
- 1-30 second run time options
- Reverse Polarity Protection



SUNSLINGER™ KIT

ITEM: AH-SSLNG-KIT_UPC: 888151026069

- Integrated Solar Panel and varmint cage
- Rail mount for optional accessories
- Twist Lock OR Flat Mounting
- Metal spin plate and Industrial grade motor
- Recommended DE-30045 battery, not included

TIMER FEATURES

- Q-Sets – 2 Preconfigured settings for easy setup
- 1-16 Custom Time Settings
- 0-60 second run time options
- Set days of the week



SPIN KIT

ITEM: 20558_UPC: 758365205584

- Heavy-duty metal control housing with metal downspout
- Heavy-duty “No Blow” slinger resists wind and grain trickle
- High torque industrial motor
- Recommended DE-30020 battery, not included

TIMER FEATURES

- Feeds 1 to 8 different times per day various days of the week
- Adjustable feed rate (1-30 seconds)
- Three spread speeds: 3000, 3300 and 3800 RPM
- Memory preserves user settings



PHOTOCELL KIT

ITEM: AH-EKIT_UPC: 758365601454

- Feeds twice a day – dusk and dawn at adjustable feed rate 1-30 seconds
- Metal downspout powder coated black
- High torque motor

- Galvanized metal mounting bracket & slinger
- Recommended DE-30045 battery, not included

30 GALLON CAPACITY NESTING HOPPER

- Twist Lock Mounting Mechanism
- 12pcs locking pin to firmly hold top and bottom leg sections together
- Easy open lid

A XDE

AH-225XDE_UPC NO: 888151026106



- Metal spin plate
- Q-Sets – 2 Preconfigured settings for easy setup
- Adjustable feed rate 1-60 seconds, 1 to 16 times per day
- Pre-wired for Solar Panel AH-RMT
- Recommended DE-30045 battery - not included
- Three 8-FT sectional heavy duty metal leg

B XD-PRO

AH-225XDPRO_UPC NO: 88815102886



- Metal spin plate
- Q-Sets – 2 Preconfigured settings for easy setup
- Adjustable feed rate 1-60 seconds, 1 to 16 times per day
- Metal Varmint guard with optional shocking circuit
- Pre-wired for Varmint Zapper Module AH-VZM, Solar Panel AH-SLR and Remote Activator AH-RMT
- Recommended DE-30045 battery - not included
- Three 8-FT sectional heavy duty metal leg

C GRAVITY FEEDER

AH-225GRAV_UPC NO: 888151026120

- Three 8" Feed tubes
- 3.5" Diameter tubes at a 9 degree angle
- 3/4" Lip prevents feed spillage
- Hooded overhang shields feed from the elements
- No need to set timer
- No maintenance required
- No Electronic parts
- Three 6-FT sectional heavy duty metal leg



350LBS CAPACITY

- Heavy-duty steel hopper
- Quick release lid with lever lock
- Three 8-FT sectional heavy duty galvanized legs with metal leg mounts

A SUNSLINGER™ KIT

AH-SS350_UPC NO: 758365601478



- Built-In Solar Panel
- Metal spin plate
- Adjustable feed rate 1-30 seconds, 1 to 16 times per day
- Can feed different days of the week
- Pre-wired for Remote Activator AH-RMT
- Requires 6V rechargeable battery DE-30008 not included

B HEAVY DUTY SPIN KIT

AH-350D8_UPC NO: 758365600563

- Heavy-duty metal control housing
- High torque industrial motor
- Includes powder coated "No Blow" slinger & downspout
- 3 spread speeds: 3000, 3300 and 3800 RPM
- Adjustable feed rate 1-30 seconds, 1 to 8 times per day
- Requires 6V or 12V battery DE-30045 recommended or DE-30020 12V rechargeable batteries - not included



KD FEEDER WITH DIGITAL TIMER KIT

DIGITAL TIMER KIT FEATURES

- Large stand-alone “test” button
- 8 available daily feed times, 1 to 30 seconds per feeding
- Adjustable (low, med, high) motor speed control
- Battery charge level icon
- Includes in-line fuse protection to help guard against power supply overloads
- 12V motor
- 3 spread speeds: 3000, 3300 and 3800 RPM
- 1/4” drive shaft

HOPPER FEATURES

- Powder Coated galvanized metal
- Built in funnel
- Heavy Duty galvanized leg kit
- Built in windows to see corn levels
- Varmint Guard included
- Some assembly required - only one tool required a Phillips head screwdriver
- 15 minute setup time

A 440LBS CAPACITY

AH-440KD_UPC NO: 888151014851

B 600LBS CAPACITY

AH-600KD_UPC NO: 888151014868



HANGING FEEDERS



COLLAPSES DOWN TO
LESS THAN 8" HIGH FOR
COMPACT PORTABILITY



5 GALLON NESTING HOPPER

AH-NF-ECON_UPC NO: 888151026199



- 50Lbs Capacity
- Econ Feeder Kit
- Adjustable feed rate 1-30 seconds, 1 to 16 times per day
- Can feed different days of the week
- Powered by 4 AA batteries - not included

40LBS CAPACITY

ITEM NO: E-40PB_UPC NO: 758365207809

- Durable plastic hopper
- E-Kit Photocell Technology
- Galvanized metal slinger
- Adjustable feed rate 1-60 seconds, twice a day - dusk and dawn
- Requires 6V spring top SLA battery, recommended DE-30045 - not included

50LBS CAPACITY

- Metal hopper with Realtree® AP Camo
- Requires 6V battery recommended DE-30045 not included

A XD PRO KIT

R-50PROAP_UPC NO: 758365600013



- Metal spin plate
- Adjustable feed rate 1-60 seconds, 1 to 16 times per day
- Metal Varmint guard with optional shocking circuit
- Pre-wired for Varmint Zapper Module AH-VZM, Solar Panel AH-SLR and Remote Activator AH-RMT



B E-KIT

AH-H50ERT_UPC NO: 758365600006

- E-Kit Photocell Technology
- Galvanized metal slinger
- Adjustable feed rate 1-60 seconds, twice a day - dusk and dawn



PREDATOR SNARE

ITEM NO: AH-HPSNARE_UPC NO: 758365601423

- Once an animal applies pressure on the trigger plate, the steel cable snare releases and tightly secures around the predator's limb
- Heavy-duty 1/4" braided steel spring loaded snare
- Weather resistant housing

IDEAL FOR CATCHING



COYOTES

HOGS

BOBCATS

FOXES

PLUS OTHER NUISANCE ANIMALS



LED HOG LIGHT

ITEM NO: AH-HOGLITE_UPC NO: 888151014394

- CDS light sensor provides 180 seconds of light per triggering
- High: 100% / Medium: 60% / Low: 30% Light Power
- Extreme Temperature Rated: -4°F - 140° weather resistant ABS housing
- Powered by 8 AA batteries - not included



SWINE
SHINE

36 SUPER
BRIGHT
GREEN LEDS

360° PASSIVE
INFRARED
MOTION SENSOR

COMPLETE 360° ILLUMINATION COVERAGE



ROLLING HOG FEEDER

ITEM NO: AH-SWNLOG_UPC NO: 888151017982

- 30lbs feed capacity
- Modular system can connect multiple units for extended capacity of up to 90lbs of feed
- Constructed of tough durable ABS plastic
- Includes auger ground screw and 40" braided steel cable



HANGING FEEDERS

FEEDER METER METER ONLY

ITEM NO: AH-FMTR_UPC NO: 888151026151

FEEDER METER METER WITH ANTENNA

For use with metal barrels

ITEM NO: AH-FMTR-ANT_UPC NO: 888151026168

- Connect via Bluetooth 5.0
- Check how much feed remains in the feeder using the American Hunter APP
- IP53 rated
- Antenna version for use with metal hoppers



TRACK THE REMAINING FEED IN YOUR HOPPERS WITH THE FREE AMERICAN HUNTER MOBILE APP



The Feeder Meter measures feed using ultrasonic technology at a depth of up to 2 meters and a measurement resolution of 1 millimeter



OVERVIEW

- Feed measurements taken upon connection
- Estimates days of feed remaining for feeders even when offline
- Track multiple hoppers



Available on the iPhone
App Store

ANDROID APP ON
Google Play

SELECTED METER

- Displays feeder status
Green - ok
Yellow - low
Red - empty
- Displays feed and battery percentage remaining
- Estimates days of feed remaining

REMOTE FEEDER ACTIVATOR

ITEM NO: AH-RMT_UPC NO: 888151026175

- Activates wildlife feeder remotely up to 300 feet away
- Perfect for use from tree stand, truck or pier
- For use with XD-PRO and Sunslinger



6V/12V DIGITAL TIMER

ITEM NO: AH-UTM_UPC NO: 888151026137

- Digital Clock Timer controls when and for how long feed is dispensed
- 2 QSET and up to 16 custom settings for easy/quick set up
- Adjustable feed rate 1-30 seconds, 1 to 16 times per day and different days of the week
- Automatically detect input voltage as 6V or 12V



3 WAY GRAVITY TUBE

ITEM NO: AH-GRAV-KIT_UPC NO: 888151026090

- Adjustable inner sleeve to control feed flow
- Three 8" feed tubes with ¾" Lip to prevent feed spillage
- 3.5" Diameter tubes feature a 9 degree angle and hooded overhang to shield feed from the elements
- Twist lock or flat mounting options



6V POWER SOLAR PANEL

ITEM NO: AH-SLR_UPC NO: 888151026182

- Internal rechargeable battery allows the charger to be used as the main power supply for your feeder or as an additional power source to extend battery life
- Includes both lid and leg mounting brackets that use thumb screws for no-tool installation - shown with leg bracket
- Conduit cable with rubber grommet creates a water tight connection with feeders

(Compatible with XD-Pro, XDE-Pro and Econ feeder kits)



SOLAR CHARGERS

ITEM NO: BL-660-S_UPC NO: 758365223007_6V CHARGER

ITEM NO: BL-1260-S_UPC NO: 758365223014_12V CHARGER

- Charges 6V or 12V rechargeable batteries
- Weatherproof, rust proof and corrosive resistant

SOLAR CHARGER

ITEM NO: BL-R680-S_UPC NO: 758365223342

- Charges 6V or 12V rechargeable batteries
- Weatherproof, rust proof and corrosive resistant




ECONOMY SOLAR CHARGERS

ITEM NO: BL-EC6_UPC NO: 758365223373_6V CHARGER

ITEM NO: BL-EC12_UPC NO: 758365223380_12V CHARGER

- Constant trickle charges your 6V or 12V feeder batteries
- Will not overcharge
- Includes mounting brackets



VARMINT ZAPPER MODULE

ITEM NO: AH-VZM_UPC NO: 888151026144


- Keep unwanted varmints away from the feed
- Mounts inside Varmint Buster compatible feeder kits
- Peak discharge voltage of 1000 +_ 100 volts



VARMINT GUARD

ITEM NO: 20632_UPC NO: 758365206321

- Keep unwanted varmints away from the feeder kit area
- 15.5" x 15.5" black power coated steel
- All mounting hardware included



RECHARGEABLE BATTERIES

Commonly used for game feeders, game calls, headlights and spotlights

6V 4.5 AMP HR F-TAB

SINGLE PACKAGING ITEM

ITEM NO: DE-30008_UPC NO: 758365300081

CLAM PACKAGING ITEM

ITEM NO: DE-30052_UPC NO: 758365223090



12V 7 AMP HR TAB TOP

SINGLE PACKAGING ITEM

ITEM NO: DE-30020_UPC NO: 758365300203



6V 4.5 AMP HR SPRING TOP

SINGLE PACKAGING ITEM

ITEM NO: DE-30045_UPC NO: 758365300456

CLAM PACKAGING ITEM

ITEM NO: DE-30053_UPC NO: 758365223106



6V/12V BATTERY CHARGER

ITEM NO: BL-C6/12_UPC NO: 758365222284

- Charges most 6V and 12V rechargeable feeder batteries
- Plugs into 110V outlet
- DC output is 500mA



12V HIGH TORQUE MOTOR

ITEM NO: 20575_UPC NO: 758365205751

- 2753 RPM
- 1.12 AMPS
- .250" diameter shaft - 1" shaft length
- 3.13" diameter motor housing
- Mounting bolts included



BARREL ADAPTER KIT

ITEM NO: R-LA1_UPC NO: 758365223403

- Fits standard 30 gallon poly barrel and 180LBS, 225LBS and 270LBS feeders
- Powder coated steel
- 2 brackets and hardware included



LEG ADAPTER KIT

ITEM NO: AH-LA55_UPC NO: 758365221379

- Holds up to 400LBS per set of 3 adapters
- Set of 3 -7/8" square tube for mounting 8-FT legs to a 55 gallon drum
- Powder coated steel
- Complete with back plate and bolts



FEEDER LEG KITS

ITEM NO: T-EL8-B_UPC NO: 758365223410_FOR 225LBS TRIPOD FEEDERS

ITEM NO: 30570_UPC NO: 758365305703_FOR 350LBS TRIPOD FEEDERS


- Standard 8-FT leg kit for tripod feeders



TRADITIONAL FEEDER FUNNEL

ITEM NO: T-F3055_UPC NO: 758365222031


- Fits most 30, 35 and 55 gallon barrels
- Using pre-punched holes and self tapping screws allows adjustment to the diameter of the funnel needed for your barrel



HEAVY-DUTY EASY OPEN LID

ITEM NO: AH-L55_UPC NO: 758365221317

- This lid solves two old problems:
 - eliminates water standing on the top of the lid
 - easy to open while maintaining secure hold on the side of feeder



ONLY FOR USE WITH
55 GALLON FEEDERS