

# PANTS

## Size Chart

| RECOMMENDED SIZE | WAIST | HIP (SEAT) |
|------------------|-------|------------|
| 28               | 28    | 34         |
| 30               | 30    | 36         |
| 32               | 32    | 38         |
| 34               | 34    | 40         |
| 36               | 36    | 42         |
| 38               | 38    | 44         |
| 40               | 40    | 46         |
| 42               | 42    | 48         |
| 44               | 44    | 50         |
| 46               | 46    | 52         |
| 48               | 48    | 54         |
| 50               | 50    | 56         |
| 52               | 52    | 58         |
| 54               | 54    | 60         |


**Note:** *If your measurement falls between sizes, buy the larger size.*

## Inseam Lengths

**Note:** *If your inseam length falls between sizes, buy the longer size.*

| INSEAM MEASUREMENT | YOU SHOULD ORDER THIS SIZES |
|--------------------|-----------------------------|
| 27 - 28            | 28                          |
| 29 - 30            | 30                          |
| 31 - 32            | 32                          |
| 33 - 34            | 34                          |
| 35 - 36            | 36                          |

## Men’s Pants



### Straight Fit

Closer-to-the-body fit through the seat and thigh, enough room to move

### Relaxed Fit


Comfortable fit through the seat and thigh with more room to move

### Loose Fit

Generous fit through the seat and thigh with the most room to move

## How to Measure

**Note:** *For best results measure over your undergarments.  
Use a cloth measuring tape.*



**Natural Waist:**

Bend side to side and find the natural bend in your body; this is your natural waist. **Note:** It may not be the smallest point.

**Hip/Seat:**

Measure the fullest point between your natural waist and crotch.

**Inseam:**

Measure from your crotch down to the desired length on body. You may also measure pants that you currently own and like. Lay the garment flat and smooth out. Measure on the front from the crotch point along the seam to the hem for the inseam length.