



Gates



Proudly made in New Zealand for our rugged conditions, Hayes gate products are found hard at work up and down the country. All gates bearing the Hayes' name are built to last - hot dip galvanised, high quality welding and New Zealand made steel pipework, ensure there is no compromise on quality and durability.

www.HayesFencing.com

Adjustable hinge* - the latest innovation for farm gates.

The adjustable hinge incorporates a hard wearing nylon insert that can prevent you from getting electric shocks, plus double bolts that improve gate durability, strength and performance. The adjustable hinge (816988) is also sold separately.

Non-conductive nylon insert

- Reduces the likelihood of current from adjacent electric fence electrifying the gate
- Gives a perfect fit and superior bearing surface to reduce wear.

*Patent applied for

Double-bolted hinge

- Increases clamping and limits unwanted gate movements
- Prevents gates from coming off the gudgeon
- Adjustable to suit any gudgeon configuration
- Allows easy adjustment to raise or lower the gate.




Non-conductive nylon insert




Double-bolted hinge

Economy Gate




Height	1 m	Fixed Lug	20 mm x 2	Vertical	25 NB
Frame	25 NB	Chainlink	75 x 3.15 mm	2 bars	(2.44m – 4.27m)**
				3 bars	(4.87m)

Field Gate




Height	1 m	Fixed Lug	20 mm	Vertical	25 NB 2 bars
Frame	25 NB	Adj. Lug	20 mm	Diagonal	20 NB 2 bars
		Chainlink	75 x 3.15 mm		

Stressmaster Gate



Height	1 m	Top Rail		Bottom Rail	
Hinge Upright	32 NB	25 NB	(3.66 m)	25 NB	(3.66 m, 4.27 m)
Catch Upright	25 NB	32 NB	(4.27 m)	32 NB	(4.87 m)
Stay	20 NB	40 NB	(4.87 m)	Diagonal	20 NB
Fixed Lug	20 mm x 2	32 NB	(3.66 m) Heavy	3 bars	(3.66 m, 4.27 m, 4.87 m)
Chainlink	75 x 3.15 mm	40 NB	(4.27 m) Heavy	Vertical	20 NB
		50 NB	(4.87 m) Heavy	2 bar	(3.66 m, 4.27 m, 4.87 m)

Cattle Gate



Height	1 m	Fixed Lug	20 mm x 2	Vertical	25 NB
Frame	32 NB	Chainlink	50 x 3.15 mm	2 bars	(3.66 m)**
				3 bars	(4.27 m)

Available Lengths:

1.83 m / 6 ft	(813403)
2.13 m / 7 ft	(813404)
2.44 m / 8 ft	(813405)
2.74 m / 9 ft	(813406)
3.05 m / 10 ft	(813407)
3.35 m / 11 ft	(813408)
3.66 m / 12 ft	(813409)
3.96 m / 13 ft	(813410)*
4.27 m / 14 ft	(813411)
4.87 m / 16 ft	(813412)

* Made To Order

** Gate option pictured

Available Lengths:

2.44 m / 8 ft	(813413)*
2.74 m / 9 ft	(813414)*
3.05 m / 10 ft	(813415)
3.35 m / 11 ft	(813416)
3.66 m / 12 ft	(813417)
3.96 m / 13 ft	(813418)*
4.27 m / 14 ft	(813419)
4.57 m / 15 ft	(813420)*
4.87 m / 16 ft	(813421)

* Made To Order

Available Lengths:

3.66 m / 12 ft	(813422)
4.27 m / 14 ft	(813423)
4.87 m / 16 ft	(813424)*

Available in Heavy:

3.66 m / 12 ft	(813425)
4.27 m / 14 ft	(813426)
4.87 m / 16 ft	(813427)*

* Made To Order

Available Lengths:

3.66 m / 12 ft	(813428)
4.27 m / 14 ft	(813429)

** Gate option pictured

Style E Barred Gate



Height	1.05 m	Adj. Lug	20 mm x 2	Vertical	40 x 5 mm
Frame	25 NB	Horizontal	5 bars 20 mm	1 bar	(1.83, 2.13 m)
		Diagonal	6.3 mm	2 bars	(2.44 m - 3.66 m)**
		No bars	(1.83 m - 3.35 m)	3 bars	(3.96 m - 4.87 m)
		2 bars	(3.66 m - 4.87 m)**		

Available Lengths:

1.83 m / 6 ft	(813481)
2.13 m / 7 ft	(813482)
2.44 m / 8 ft	(813483)
2.74 m / 9 ft	(813484)
3.05 m / 10 ft	(813485)
3.35 m / 11 ft	(813486)
3.66 m / 12 ft	(813487)
3.96 m / 13 ft	(813488)
4.27 m / 14 ft	(813489)
4.57 m / 15 ft	(813490)*
4.87 m / 16 ft	(813491)

* Made To Order
** Gate option pictured

Special Barred Gate




Height	1 m	Horizontal	5 bars 6.3 mm	Vertical	25 x 3 mm
Frame	25 NB	Diagonal	6.3 mm	3 bars	(1.83 m)
Adj. Lug	20 mm x 2	1 bar	(1.83 m - 4.27 m)**	4 bars	(2.13 m, 2.44 m)
		2 bars	(4.57 m, 4.87 m)	5 bars	(2.74 m)**
				6 bars	(3.05 m, 3.35 m)
				7 bars	(3.66 m)
				8 bars	(3.96 m, 4.27 m)
				9 bars	(4.57 m)
				10 bars	(4.87 m)

Available Lengths:

1.83 m / 6 ft	(813447)*
2.13 m / 7 ft	(813449)*
2.44 m / 8 ft	(813450)
2.74 m / 9 ft	(813451)
3.05 m / 10 ft	(813452)
3.35 m / 11 ft	(813453)
3.66 m / 12 ft	(813454)
3.96 m / 13 ft	(813455)
4.27 m / 14 ft	(813456)
4.57 m / 15 ft	(813457)
4.87 m / 16 ft	(813458)

* Made To Order
** Gate option pictured

Medium Barred Gate




Height	1.05 m	Diagonal	6.3 mm	Vertical	25 x 3 mm
Frame	25 NB	1 bar	(1.83 m - 4.27 m)**	3 bars	(1.83 m)
Adj. Lug	20 mm x 2	2 bars	(4.57 m, 4.87 m)	4 bars	(2.13 m, 2.44 m)
Horizontal	6 bars 7.5 mm			5 bars	(2.74 m, 3.05 m)
				6 bars	(3.35 m)
				7 bars	(3.66 m)**
				8 bars	(3.96 m, 4.27 m)
				9 bars	(4.57 m, 4.87 m)

Available Lengths:

1.83 m / 6 ft	(813459)*
2.13 m / 7 ft	(813460)*
2.44 m / 8 ft	(813461)
2.74 m / 9 ft	(813462)
3.05 m / 10 ft	(813463)
3.35 m / 11 ft	(813464)
3.66 m / 12 ft	(813465)
3.96 m / 13 ft	(813466)
4.27 m / 14 ft	(813467)
4.57 m / 15 ft	(813468)
4.87 m / 16 ft	(813469)

* Made To Order
** Gate option pictured

Heavy Barred Gate




Height	1.05 m	Horizontal	5 bars 9.5 mm	Vertical	25 x 5 mm
Frame	25 NB	Diagonal	6.3 mm	3 bars	(1.83 m, 2.13 m)
Adj. Lug	20 mm x 2	1 bar	(1.83 m - 4.27 m)**	4 bars	(2.44 m, 2.74 m)
		2 bars	(4.57 m, 4.87 m)	5 bars	(3.05 m)**
				6 bars	(3.35 m)
				7 bars	(3.66 m, 3.96 m)
				8 bars	(4.27 m, 4.57 m)
				9 bars	(4.87 m)

Available Lengths:

1.83 m / 6 ft	(813470)*
2.13 m / 7 ft	(813471)*
2.44 m / 8 ft	(813472)*
2.74 m / 9 ft	(813473)*
3.05 m / 10 ft	(813474)
3.35 m / 11 ft	(813475)
3.66 m / 12 ft	(813476)
3.96 m / 13 ft	(813477)
4.27 m / 14 ft	(813478)
4.57 m / 15 ft	(813479)
4.87 m / 16 ft	(813480)

* Made To Order
** Gate option pictured

Deer Gate



Height	1.55 m / 1.9 m	Vertical (1.55)	25 NB	Vertical (1.9 m)	25 NB
Frame	25 NB	2 bars	(3.05 m - 3.95 m)	2 bars	(2.44 m - 3.96 m)
Horizontal	1 bar 25 NB	3 bars	(4.27 m - 4.87 m)	3 bars	(4.27 m - 4.87 m)**
Fixed Lug	20 mm x 2				
Chainlink	75 x 3.15 mm				

Available Lengths (1.55 m H):


3.05 m / 10 ft	(813437)*
3.35 m / 11 ft	(813438)*
3.66 m / 12 ft	(813439)
4.27 m / 14 ft	(813442)
4.87 m / 16 ft	(813443)*

Available Lengths (1.9 m H):

2.44 m / 8 ft	(813444)*
2.74 m / 9 ft	(813445)*
3.05 m / 10 ft	(813430)
3.35 m / 11 ft	(813431)*
3.66 m / 12 ft	(813432)
3.96 m / 13 ft	(813433)*
4.27 m / 14 ft	(813434)
4.57 m / 15 ft	(813435)*
4.87 m / 16 ft	(813436)*

* Made To Order
** Gate option pictured

Medium Barred Deer Gate



Height	1.50 m / 1.85 m	Diagonal	6.3 mm	Vertical	7.5 mm
Frame	25 NB	Horizontal	7.5 mm	5 bars	(3.05 m)
Fixed Lug	20 mm x 2	8 bars	(1.50 m)	7 bars	(3.66 m)**
		10 bars	(1.85 m)	8 bars	(4.27 m)

Available Lengths (1.50 m H):


3.05 m / 10 ft	(813503)
3.66 m / 12 ft	(813506)
4.27 m / 14 ft	(813508)

Available Lengths (1.85 m H):

3.05 m / 10 ft	(813504)
3.66 m / 12 ft	(813507)
4.27 m / 14 ft	(813509)

** Gate option pictured

Vertical Barred Gate



Height	1 m	Vertical	7.5 mm	25 bars	(2.74 m)**
Frame	25 NB	9 bars	(1.07 m)	28 bars	(3.05 m)
Adj. Lug	20 mm x 2	11 bars	(1.20 m)	31 bars	(3.35 m)
		14 bars	(1.52 m)	34 bars	(3.66 m)
		17 bars	(1.83 m)	37 bars	(3.96 m)
		20 bars	(2.13 m)	40 bars	(4.27 m)
		23 bars	(2.44 m)		

Available Lengths:


1.07 m / 3 ft 6"	(813492)
1.20 m / 4 ft	(807782)
1.52 m / 5 ft	(813493)
1.83 m / 6 ft	(813494)
2.13 m / 7 ft	(813495)
2.44 m / 8 ft	(813496)
2.74 m / 9 ft	(813497)
3.05 m / 10 ft	(813498)
3.35 m / 11 ft	(813499)
3.66 m / 12 ft	(813500)
3.96 m / 13 ft	(813501)
4.27 m / 14 ft	(813502)

** Gate option pictured

MADE TO ORDER GATES

Options listed below are on a made to order basis. Other gate types/designs can be manufactured to suit the clients specifications on request.

Cattle Yard Gate - "Tangihau"




Height Frame 1.5m
32NB Pipe Frame & Bottom & secondary Top Rail

Internals 25nb Pipe (32nb Optional)
Lattice 12mm RMS
Weld on Lug 20mm x 2

Suggested Lengths:
3.05m/10ft *

* Made to Order in any length or height required

Sheep Yard Gates



Height Frames 0.95m
25NB
75 x 5 FMS uprights for client to mount
150mm x 25mm rails of Timber

Weld on Lug 20mm x 2
Rod Diagonal 6.3mm

Suggested Lengths:
2.4m / 8ft *

* Made to Order in any length or height required




Height Frames 0.95m
25NB
75 x 5 FMS uprights for client to mount
150mm x 25mm rails of Timber
Weld on Lug 20mm x 2

Suggested Lengths:
0.9m/3ft

* Made to Order in any length or height required

Deer Escape Gate




Height Frame 700 mm
20 NB
Horizontal 4 bars 6.3 mm
Vertical 6.3 mm
Weld on Lug / Pins 16 mm x 2
Deadsure Latch 20 mm

Available Length:
600 mm (813446)*


Outside dimensions of the outer frame are 800 mm wide x 860 mm high.

* Made To Order

Equine Paddock Gate



Height 1.55m





Height 1m

Available Lengths:
2.44m/8ft to 4.87m/16ft*


- * Made To Order
- * Manufactured to clients design/ specifications

Equine Yard Gates



Available Lengths:
* Manufactured to clients design/ specifications


Equine Holding Pen Gates



Available Lengths:
* Manufactured to clients design/ specifications

HAYES™

Fence Tools



In 1895 a young pioneer Ernest Hayes began farming the rugged back country of New Zealand's South Island and through his background in engineering, soon began to develop the tools that would help turn this wilderness back country into productive land.

Initially produced by hand, Hayes' simple tools began to develop a solid reputation and in 1902

he established the company that would proudly bear his name.

Times have changed, but the Hayes product you buy today remains a tribute to Ernest Hayes' imagination, drive, energy and determination to be the best.

Now 100 years on, Hayes products can be found hard at work all over New Zealand and in over 25 countries around the world.

www.HayesTools.com

Wire Strainers

Smooth Grip Chain Strainer

H300 (872002)

The **original** chain and grab wire strainer. Proven in the field for over 100 years.

- Heavy duty industry leader
- Available with anchor hook and extra long chain **H300AL** (800009)

Made in NZ



Steel Strainer Clamps


H508S 1.2 m (872030)

H508S 1.9 m (872031)

H508S 2.4 m (872032)

- Hammer-in wedges for quick easy operation
- Strain up using **H406** Clamp Strainer

Made in NZ



Clamp Strainer

H406 (872019)

- Designed for use with prefabricated fence
- For use with Steel Strainer Clamps

Made in NZ



"My team's tools get a hard time yet they must continue to perform. After 100's of kilometres of conventional, electric, horticultural and vineyard fencing, Hayes is definitely my preferred brand"

Gordy Davy - Fence Contractor, 10 years
(Katikati, New Zealand)



Wire Dispensers

Adjustable-Collapsible Wire Dispenser

H540 Spike Foot (872039)

- Folding arms for ease of storage
- Adjustable to all wire coil diameters

Made in NZ



Single Tier Wire Dispenser

H319 Spike Foot (872009)

H319Y Y Foot (872010)

- Tough steel construction
- Cone braking to reduce wire tangling

Made in NZ



Deluxe Wire Dispenser

H320 (872011)

- Spring adjusted tension brake to control over-run
- Anchor pin for ground holding
- Coiling handle for recoiling fence wire

Made in NZ



Fence Post Tools

Fencing Spades

ProHead

H351 (814240) **1.22 m**

- Cast alloy steel head imported from Italy and welded high tensile neck provide extra strength for long life
- 600 mm depth indicator
- Weighted to help digging

Round Head

H349 (872118) **1.12 m**

H350 (872117) **1.22 m**

- Hardened steel for long life
- Double curvature head allows greater dirt removal

Made in NZ




Post Hole Rammer

H386AP (872018)

- Steel handle with cast iron foot makes compaction easy
- Half round head to suit any application

Made in NZ



Steel Standard Lifter

H325 (872012)

- Robust design with excellent leverage

Made in NZ

Steel Standard Driver

H352 (872015)

- Dual handle and compaction weighting to assist driving with ease

Made in NZ



ProCrimp & Crimp Sleeves

ProCrimp

(814777)

4-in-1 fencing tool - crimping tool, staple puller, cable stripper, and wire cutter.

- Hardened stainless steel components provide strength and corrosion resistance
- Double action crimping jaws maximise crimping force and enhance locking action for gripping staples
- Flat head jaws give improved stability when removing staples
- Extra long handles for improved crimping power and greater leverage for removing staples

Made in NZ



Crimping & Fencing Tool

(827085)

- Double action crimping jaws maximise crimping force and enhance locking action for stripping wire
- Extra long handles for improved crimping power
- Soft grip handles for improved crimping power
- Cuts wire up to 4.00 mm (8ga)
- Locking action makes stripping underground cable easy



Crimp Sleeves

The easiest and most effective means of joining wire. Creates a joint that exceeds the breaking strength of wire.

HC2



Suitable for Ø1.6 - 2.5 mm
(16 - 12½ gauge) fence wire
Pot of 100 (807979)
Tub of 500 (808211)

HC4



Suitable for Ø3.55 - 4.0 mm
(9 - 8 gauge) fence wire
Pot of 50 (808210)

HC3



Suitable for Ø2.50 - 3.15 mm
(12½ - 10 gauge) fence wire
Pot of 50 (808209)
Tub of 500 (808212)

HCB



Pot of 50 (872051)
Suitable for barbed wire

HCE



Pot of 50 (872052)
For connection to electric fences

Fastlok™ Wire Connector



Reusable wire connector
Pot of 10 (808324)



Accessories

Permanent Wire Strainer with Insulator

H302/H516 (872005)

Made in NZ



Tightening Handle

H303 (872007)

- Used in conjunction with permanent wire strainers to tighten fence wire

Made in NZ



Permanent Wire Strainer

H302 (872003)

The **original** ratchet wire strainer

- Superior load capacity
- Famous for strength

Made in NZ



Insulator for Permanent Wire Strainer

H516 (872034)

- Clips into Hayes Permanent Wire Strainer H302 body

Made in NZ



Premium Wire Cutters

833162

- High performance
- Scalloped jaw design
- Hardened cutting edges
- Maximum 4 mm diameter hard wire

Made in Taiwan



Spare Parts

Smooth Grip Chain Strainer



HP/100 (872060)
Anchor Hook



HP/101 (872061)
Spring, Loop and Cotter



HP/103 (872063)
300 mm Grab
Tubular Handle



HP/106L (872066)
Grip with Links and D



HP/106R (872067)
Grip with Links and Swivel



HP/107 (872068)
1.2 m Chain and
Grip Grab



HP/108 (872070)
Grab



HP/111 (872073)
Grab assembly



HP/115 (872076)
Bulk Strainer Chain
per metre



HP/300
Rivet Large (804066)
Rivet Small (804065)
Must be professionally
installed.

Made in NZ

Clamp Strainer



HP/101 (872061)
Spring, Loop and Cotter



HP/406 (810612)
450 mm Grab
Tubular Handle



HP/108 (872070)
Grab



HP/115 (872076)
Bulk Strainer Chain
per metre



HP/300
Rivet Large (804066)
Must be professionally
installed.



HP/406HH (810614)
Handle and Hook

Made in NZ

Adjustable-Collapsible Wire Dispenser



HP/319TF (872078)
Fingers



(872119)
Centre Spike



(872120)
Y Foot



HP/999 (872045)
Spike Foot

Single Tier Wire Dispenser



HP/319TF (872078)
Fingers



(872119)
Centre Spike



(872120)
Y Foot



HP/999 (872045)
Spike Foot

Deluxe Wire Dispenser



HP/319TF (872078)
Fingers



(813108)
Deluxe Centre Spike



(872120)
Y Foot



(800470)
Top Tension Spring



(800471)
Top Tension Handle



(800472)
Guide with Handle

Made in NZ

Post Rammer



HP/386/A (872080)
1.62 m Post Rammer
Handle



HP/386 (872017)
Post Rammer Head

Steel Standard Lifter



HP/325/3 (872014)
(No. 1 DOG)
Steel Standard Lifter
Grip Plate



HP/325/2 (872013)
(No. 2 DOG)
Steel Standard Lifter
Grip Complete

Steel Strainer Clamps



HP/5085 (872088)
Steel Strainer Wedges

Made in NZ