





BONE CONDUCTION HEARING ENHANCER 2 DIGITAL EARBUDS RAZOR SERIES NECK WORN HEADSETS FLEXIBLE EARBUD NECKBANDS XCEL ADVANCED DIGITAL MUFFS RAZOR X-TRM DIGITAL MUFFS RAZOR SERIES DIGITAL MUFFS RAZOR SERIES ELECTRONIC MUFFS RAZOR SERIES WALKIE TALKIE RAZOR BLUETOOTH™ PASSIVE MUFFS DIGITAL AM/FM RADIO MUFFS PRO LOW PROFILE PASSIVE MUFFS 14 MAXPROTEC PASSIVE MUFFS ELECTRONIC HELMET MOUNTED MUFFS MAXPROTEC HELMET MOUNTED MUFFS YOUTH HEARING PROTECTION MUFFS PASSIVE SERIES NECKBANDS 20 EAR PLUG ACCESSORIES 22 EYE PROTECTION HAND PROTECTION SAFETY VESTS 30 HANDHELD LIGHTS 32 SPOTLIGHTS RECHARGEABLE HANDHELD LIGHTS 35 BATTERY POWERED HANDHELD LIGHTS 36 RECHARGEABLE SPOTLIGHTS 38 DIRECT SPOTLIGHTS 39 MARINE SERIES SPOTLIGHTS SPECIALTY LIGHTS 42 FLASHLIGHTS 44 HEADLAMPS 46 HAT CLIP LIGHTS 49 CELLULAR SECURITY CAMERAS SECURITY CAMERAS SECURITY CAMERA ACCESSORIES HEAVY LIFT AND LOAD ASSISTANTS 58



RAPTOR

BONE CONDUCTION HEARING ENHANCER

UTILIZING BONE-CONDUCTION TECHNOLOGY TO AMPLIFY AMBIENT SOUNDS BY TRANSMITTING SOUND WAVES THROUGH BONES IN THE HEAD TO THE INNER EAR RATHER THAN THROUGH THE EAR CANALS. USED PURELY AS AN ENHANCEMENT DEVICE, RAPTOR DELIVERS UNPARALLELED COMFORT WITH NOTHING COVERING OR INSERTED

WALKER'S® INTRODUCES THE RAPTOR, A RADICAL NEW APPROACH TO HEARING ENHANCEMENT & PROTECTION.

INTO THE EAR CANAL. PAIR IT WITH FOAM OR CUSTOM PLUGS AND THE RAPTOR PROVIDES HEARING PROTECTION THROUGH WALKER'S SOUND ACTIVATED COMPRESSION (SAC), COMBINED WITH THE PLUGS NRR RATING;

A COMBINATION THAT CAN'T BE BEAT.



RAPTOR HEADSET

THE RAPTOR IS EQUIPPED WITH BLUETOOTH® 5.0 TO ALLOW FOR MUSIC OR MOBILE PHONE CALLS STREAMING AS WELL AS COMPLETE CONTROL VIA THE FREE WALKER'S LINK 2.0 APP.

- Bluetooth 5.0: Improved Battery Life and **Wider Connection Range**
- Allows for high NRR using standard ear tips
- User hears ambient sound via bone conduction
- Listen to music or take phone calls
- Omni directional microphones
- Independent volume control
- Sound Activated Compression
- Rechargeable battery
- Micro USB charging cable included
- Includes GWP-FP plugs for 33db NRR
- Patent Pending

GWP-BCON





Bluetooth 5



FREE WALKER'S LINK APP:


ALLOWS COMPLETE CONTROL OF YOUR HEARING ENHANCER FROM YOUR SMARTPHONE

- Control Program Settings
- Monitor Battery Levels
- Adiust Volume
- Adjust Auto Shut Off Time



USED IN CONJUCTION WITH FOAM EAR PLUGS PROVIDES OPTIMUM **HEARING PROTECTION**





GSMSAFETYPRODUCTS.COM

BONE CONDUCTION

SILENCER

RECHARGEABLE ELECTRONIC EARBUDS

FORM MEETS FUNCTION IN A COMPACT DIGITAL EARBUD DESIGN. THE SILENCER™ ELECTRONIC EARBUD SERIES PROVIDES ALL DAY COMFORT PLUS CUSTOMIZATION WITH A PATENTED SURE-LOCK™ SYSTEM, DELIVERING TRUE DIGITAL HEARING ENHANCEMENT & ESSENTIAL HEARING PROTECTION UTILIZING WALKER'S® SOUND ACTIVATED COMPRESSION TECHNOLOGY, IDEAL FOR ALL HARSH MANUFACTURING, INDUSTRIAL AND CONSTRUCTION WORK ENVIRONMENTS.





SILENCER® BT 2.0

- Bluetooth® 5.0: Improved Battery Life and Wide Connection Range
- Capacitiance Touch Button Controls
- Works With Touch Screen Gloves
- Four Listening Modes
- Independant Volume Control
- SAC (Sound Activated Compression)
- Dynamic Wind Noise Reduction Variable Noise Suppression
- Voice Prompts
- Auto Shut Off

INCLUDES:

- USB Charging Dock with integrated Rechargeable Lithium Battery
- 3 Sizes of Sure-Lock[™] fins and foam tips
- Micro USB Cable





- Advanced Digital Circuit
- Performance Digital Bluetooth®
- Four Listening Modes
- SAC (Sound Activated Compression)
- Dynamic Wind Noise Reduction
- Variable Noise Suppression
- Voice Prompts
- Auto Shut Off

- USB Charging Dock with integrated Rechargeable Lithium Battery
- 3 Sizes of Sure-Lock[™] fins and foam tips
- Micro USB Cable



FREE CONTROL APP:

ALLOWS COMPLETE CONTROL OF YOUR SILENCER BT EARBUDS FROM YOUR SMARTPHONE

- Control Program Settings
- Monitor Battery Levels
- Adjust Volume
- Adjust Auto Shut Off Time









- Dynamic Wind Noise Reduction
- Variable Noise Suppression
- Auto Shut Off

INCLUDES:

- USB Charging Dock with integrated Rechargeable Lithium Battery
- 3 Sizes of Sure-Lock[™] fins and foam tips
- Micro USB Cable

GWP-SLCRR







GSMSAFETYPRODUCTS.COM WALKER'S





* Bluetooth 5.0

BLUETOOTH SYNC w/MOBILE DEVICES

NECKBAND HEADSETS



RAZOR® XV/X 3.0 HEADSET

BLUETOOTH 5.0: IMPROVED BATTERY LIFE AND WIDE CONNECTION RANGE

- Retractable Digital Ear Buds
- Bluetooth® Connectivity
- Rechargeable Lithium Battery
- Hi-Gain Omnidirectional Microphones for clear sound enhancement
- Earbuds in improved position for less cord interference
- HD speakers in earbuds for wide range audio quality
- 3 pairs of foam tips (S/M/L) included
- 4 Listening Modes:
- Universal - Speech Clarity
- Hi-Frequency
- Power Boost
- Integrated Micro USB port
- Micro USB charging cable included
- Independent Volume Control

GWP-SF-BTN-BT RAZOR XV - BLUETOOTH **RAZOR X - STANDARD DIGITAL GWP-SF-BTN**

FREE CONTROL APP:

ALLOWS FOR COMPLETE CONTROL OF YOUR RAZOR® XV FROM YOUR SMARTPHONE



- Control Program Settings
- Monitor Battery Levels
- Adjust Volume
- Adjust Auto Shut Off Time





RETRACTABLE EAR BUDS AT THE READY

PATENT PENDING





- Bluetooth® Connectivity
- High/Low Compression Mode
- Rechargeable Lithium Battery
- Continuous 15 Hour activation
- Sound Activated Compression protects hearing
- Hi-Gain omnidirectional microphones for clear sound enhancement
- HD Speakers for wide range audio quality

INCLUDES

- 3 Pairs of Foam Earbuds (S / M / L)
- 12" USB Charging Cable
- EVA Storage Case

GWP-RPHE-BT BLUETOOTH GWP-RPHE

STANDARD DIGITAL



NRR29DB







- Passive Protection
- Durable Aluminum Ear Buds
- Ear Buds join magnetically when worn down
- Nylon camo 22.5" cable
- Battery life: 15 hours (4 hours Bluetooth streaming)
- High dynamic range speaker
- Bluetooth only for music/phone calls
- Rechargeable battery

- \bullet 3 Pairs of Foam Ear Buds (S / M / L)
- 12" USB Charging Cable
- EVA Storage Case

GSMSAFETYPRODUCTS.COM WALKER'S

WALKER'S® INNOVATIVE XCEL® SERIES WAS INSPIRED BY TAKING AN UNCONVENTIONAL APPROACH TO ENGINEERING THE BEST ELECTRONIC HEARING PROTECTION MUFFS AVAILABLE. THE XCEL'S® PATENT PENDING DESIGN MOVES THE DIGITAL CONTROL PANEL AND MICROPHONES OFF THE MUFF CUP TO THE HEADBAND DELIVERING A BETTER SLIM PROFILE DEPTH TO PROTECTION RATIO.



XCEL® DIGITAL MUFFS

- Headband Mounted Digital Controls
- HI-Gain omnidirectional microphones
- Advanced Digital Performance
- Active Dynamic Sound Suppression
- Voice Mode Navigation
- Wind Noise Reduction
- Operates on 2 'AAA' batteries included

GWP-SF-XSEM FLAT DARK EARTH

WITH BLUETOOTH CONNECTIVITY

- Bluetooth® Pairing Button
- Variable Dynamic Sound Suppression

GWP-SF-XSEM-BT

GREY GWP-SF-XSEM-BT-BLZ BLAZE ORANGE





- Advanced Digital Circuit
- Active Dynamic Sound Suppression
- Hi-Gain Omnidirectional Microphones
- Dynamic Wind Noise Reduction
- Superior Clear Digital Sound
- Premium Cooling Headband
- Gel filled Ear Pads for coolling and comfort
- Audio Input Jack
- Recessed Volume Control Knobs
- Operates on 2 AAA batteries included

GWP-XDRSEM BLACK GWP-XDRSEM-GY GREY









COOLING HEADBAND

GEL FILLED EAR PADS

RAZOR SERIES DIGITAL LOW PROFILE MUFF

SLIM PROFILE ELECTRONIC MUFF

DIGITAL RAZOR

- Advanced Digital Circuit
- Active Dynamic Sound Suppression
- Hi-Gain omnidirectional microphones
- Dynamic Wind Noise Reduction
- Superior Clear Digital Sound
- Auto Shut Off
- Ergonomic Headband Design
- Audio Input Jack
- Recessed Volume Control Knobs
- Operates on 2 'AAA' batteries included

GWP-SF-DRSEM-BLZ

GHOST BLAZE ORANGE HI-VIZ GREEN





NEW HIGH PERFORMANCE DIGITAL
CIRCUIT DELIVERS BLAZING FAST
REACTION TIME ENSURING OPTIMUM
HEARING PROTECTION











WALKER'S

(S)

Bluetooth

BLUETOOTH SYNC W/MOBILE DEVICES

NEW

RAZOR® WALKIE TALKIE

- Custom designed to integrate on the Razor Muff
- Dynamic Wind Noise Reduction
- Superior Clear Digital Sound
- Ergonomic Headband Design
- Independent Volume Control
- 22 Channels 99 Sub-Channels
- 2-3 Mile Range
- Push to Talk / Voice Activated
- UHD / FRS Frequencies
- Emergency / Priority Channel
- Powered by 3 'AAA' batteries included
- Patent Pending
- Razor Muff not included



VOICE ACTIVATED TRANSMIT (VOX), ALLOWS FOR HANDS FREE COMMUNICATION UP TO 3 MILES.





BLUETOOTH® PASSIVE MUFF

- Passive Protection
- With Directional Boom Mic
- Bluetooth connectivity to mobile devices
- Clear Digital Sound
- Soft PVC Ear Pads
- Auto Shut Off
- New Ergonomic Headband Design
- Powered by 3'AAA' batteries included

GWP-SF-PBTM-BLZ BLAZE ORANGE **GWP-SF-PBTM-HVG HI-VIZ GREEN GWP-SF-PBTM BLACK**



ADJUSTABLE BOOM MIC WITH WIND SCREEN













NRR25DB

AM/FM DIGITAL MUFF

- Built-in Radio with Hearing Protection
- Channel memory function with (8) eight different preset channels
- Digital display screen
- Low Battery indicator
- Input Jack for MP3 or CD player
- Auto search and frequency scanning function
- Built-in antenna with high reception sensitivity
- Extra wide headband with soft padding
- Operates on 2 'AAA' batteries included **GWP-RDOM**



PRO LOW PROFILE MUFF

- Ultra Lightweight, Optimum Hearing Protection
- Soft PVC Ear Pads
- Padded Headband for Comfortable Fit
- Compact Folding Design
- Contoured Cups Ideal for Jobsite
- S3.19 ANSI Rating

GWP-FPM1



EXTRA PROTECTION MUFF

- Full cup design for extra hearing protection
- Soft PVC Ear Pads
- Padded Headband for Comfortable Fit
- Compact Folding Design
- Comfort Adjustable Headband
- S3.19 ANSI Rating







MAXPROTEC MUFFS

- Super strong Polymer Vented Headband
- Soft PVC Ear Pads
- Hi-Viz Safety Orange Cups
- Adjustable Headband
- Does not conduct electricity

GWP-SF-PSM-SM MAXPROTEC 26 GWP-SF-PSM-MD MAXPROTEC 27 GWP-SF-PSM-LG MAXPROTEC 28





4 > GSMSAFETYPRODUCTS.COM

WALKER'S

HARD HAT

MOUNTED MUFFS

ACTIVE MUFF

- Universal Mount for safety helmet accessory slot
- Two hi-gain omnidirection microphones
- Low noise / frequency tuned for natural clarity
- Recessed volume control knob
- Sound Activated compression
- Audio input jack
- Sound dampening composite housing
- USB charging cable included
- Helmet sold separately



BLUETOOTH® ACTIVE MUFF

INTERNAL RECHARGEABLE LITHIUM BATTERY WITH UP TO 40 HOURS BATTERY LIFE

- Universal Mount for safety helmet accessory slot
- Bluetooth 5.0
- Independant volume control
- Auto shutoff
- Two hi-gain omnidirection microphones
- Low noise / frequency tuned for natural clarity
- Recessed volume control knob
- Sound Activated Compression
- Audio input jack
- Sound dampening composite housing
- USB charging cable included
- Helmet sold separately

GWP-SF-ASMHH-BT-BLZ





NRR28DB

MAXPROTEC PASSIVE MUFFS



MAXPROTEC MUFFS

- Universal Mount for safety helmet accessory slot
- Soft PVC ear pads
- Hi-Viz safety Orange
- Helmet sold separately

MAXPROTEC 28 MAXPROTEC 27 MAXPROTEC 26





GSMSAFETYPRODUCTS.COM WALKER'S



JUNIOR SERIES HEARING PROTECTION MUFFS

NRR22DB

SAC SOUND ACTIVATED COMPRESSION

YOUTH ELECTRONIC MUFF

- Engineered for comfortable Children's fit
- Sound Activated Compression
- Soft Padded Headband
- Limited to 85dB
- Single Mic Amplification
- Operates on 2 'AAA' batteries included

GWP-YAM-MNT MINT GREEN ROYAL BLUE GREEN



3.5MM CABLE JACK **INCLUDED**









- Engineered for comfortable Children's fit
- Soft Padded Headband
- Designed for Ages 3 years to 7 years

PINK

MINT GREEN

GREEN

ROYAL BLUE







YOUTH PASSIVE FOLDING MUFF

- Designed to protect children's sensitive hearing
- Soft Foam Ear Pads
- Padded and Adjustable Headband
- Suitable for ages 6 months thru 8 years
- Ultra lightweight, compact folding design
- Low Profile Contoured Cup

PINK

GWP-FKDM-BL BLUE
GWP-FKDM-LG LIME GREEN

GSMSAFETYPRODUCTS.COM WALKER'S



- Engineered to fit Infant to Toddler
- Soft Padded Headband

GWP-INFM-BL BLUE GWP-INFM-PK PINK

> INCLUDES ATTACHABLE GROWBAND™ TO ACCOMMODATE FIT AS YOUNG HEADS GROW

NRR23DB



Neck Worn Passive Protection

Foam Ear Tips S/M/L included

Soft Retractable Earbuds

RETRACTABLE EAR PLUG BAND

BLACK

BLAZE ORANGE

NRR25DB

HI-VIZ GREEN

NRR31DB

PASSIVE NECKBANDS

ACCESSORIES

SAFETY EAR PLUGS

GWP-PLUDIS

- 8 UNITS GWP-PLGCAN-OR
- 8 UNITS GWP-PLGCAN-YL
- 8 UNITS GWP-PLGCAN-PK Neon Pink Bell Shaped Foam Ear Plugs
- 12 UNITS GWP-EPCORD-BL
- 10 UNITS GWP-SILPLG-OFDE Neon Orange/FDE Silicone Putty Ear Plugs
- 12 UNITS GWP-TPRCORD-BL



EAR PLUGS



GWP-SF-FOAMPLUG200BX

- plugs disposable packs
- NRR 32dB



ACCESSORIES

GWP-SF-EPCORD-BL

- 23" attached PVC Cord
- Contains 1 pair of plugs



CONTOUR RUBBER

GWP-SF-TPRCORDBL

- 23" attached Nylon Braided Cord
- plastic storage case
- NRR 27dB



Contains 100 (2)

- Front dispenser



- NRR 32dB

Contains 1 pair of plugs and



- Neon Orange Bell Shaped Foam Ear Plugs
- Blue Bell Shaped Foam Ear Plugs
- Blue Corded Foam Ear Plugs
- Blue Contour Rubber Corded Ear Plugs
- Can order / reorder individual skus

CONTOUR RUBBER

GWP-SF-EPCORD-2PK

- 23" attached PVC Cord
- Contains 2 pairs of plugs and plastic storage case
- NRR 25dB

PVC CORDED

GWP-SF-CORDPLG

- 24" attached PVC Cord
- Bell-shaped plugs
- NRR 32dB

DISPENSER TUB

GWP-SF-CORDPLGBKT

 Contains 50 (2) Bell-shaped plugs disposable packs



SILICONE PUTTY

GWP-SF-SILPLG-PKTL GWP-SF-SILPLG-OFDE

- Soft, moldable silicone putty conforms to the unique shape of the wearer's ear
- The tacky putty forms an airtight seal
- Two different colors in each box



BULK FOAM PLUGS

GWP-SF-PLUGBAG

- Heavy-duty plastic value pack
- Contains 400 loose foam plugs
- 10 Bags per master carton (4000 Plugs)
- NRR 32dB





for maximum protection

Neck Worn Passive Protection



PRO-TEK™ EAR PLUG BAND

neck plus angled to align with ear canal

Pods are washable and detachable

Soft, ergonomic foam pods fits comfortably in the ear

Specially contoured headband rests comfortably around

Includes one extra pair of replaceable foam ear tips

EYEWEAR


SAFETY GLASSES



- Contemporary black half frame design
- Ballistic rated Exceeds ANSI Z87.1 high impact requirement
- Ventilation gaps at top of frame to promote airflow
- Packaged in peggable 4C box with clear window and microfiber bag
- Protective film overlay on outer lens

GWP-SF-8261-BM BLUE MIRROR Polarized **GWP-SF-8261-SM SMOKE** Anti-Fog GWP-SF-8261-CL CLEAR Anti-Fog **GWP-SF-8261-R READER** 2.0+, Anti-Fog





8283

- Full Black Frame design with inner soft EVA padded nose piece for added comfort
- Ventilated TPR temples with ergonomic design
- Ballistic rated Exceeds ANSI Z87.1 high impact requirement
- Peggable 4C box with clear window and microfiber carry bag
- Protective film over lenses to reduce scratching during shipping and purchase
- Exceeds ANSI Z87.1 2010 High Impact Requirement

GWP-SF-8283-SL SILVER MIRROR Polarized GWP-SF-8283-SM SMOKE Anti-Fog GWP-SF-8283-CL CLEAR Anti-Fog



9201

- Anti Fog
- Ballistic rated Exceeds ANSI Z87.1 high impact requirement
- Impact Resistant
- Peggable 4C box and microfiber carry bag
- Protective film over lenses to reduce scratching during shipping and purchase
- Nose tag for display

GWP-SF-9201-BM BLUE MIRROR GWP-SF-9201-SL SILVER MIRROR **GWP-SF-9201-CL CLEAR**

EYE PROTECTION

23

8280

- Full Frame design with optional removeable foam padding for added comfort and sweat resistance
- Ventilation gaps at temple to release heat
- · Light weight and impact resistant
- Anti Fog Technology
- Ballistic rated Exceeds ANSI Z87.1 high impact requirement
- Peggable 4C box and microfiber carry bag
- Protective film over lenses to reduce scratching during shipping and purchase
- Nose tag for display

GWP-SF-8280PAD-CL **GWP-SF-8280-SM** GWP-SF-8280-CL

GWP-SF-8280PAD-SM SMOKE With Padding **CLEAR** With Padding **SMOKE** Without Padding **CLEAR** Without Padding



VS941

- Integral side shields
- Duel injected TPR non slip temples
- Non slip PVC nose piece
- Impact resistant
- Anti fog
- No carrying case included
- Comes packaged in resealable polybag with header card
- Nose tag for display
- Ballistic rated Exceeds ANSI Z87.1 high impact requirement

GWP-SF-VS941-SM SMOKE **GWP-SF-VS941-CL CLEAR**

22 **GSMSAFETYPRODUCTS.COM WALKER'S**









- Interchangeable Lenses;
 Smoke Gray, Amber, Yellow and Clear
- Improved design for greater coverage
- High-grade polycarbonate lenses allow for quick and easy lens replacement
- Adapts to a broad range of facial sizes
- Exceeds ANSI Z87.1-2003 high impact requirements
- Includes soft carrying pouch

GWP-ASG4L2







STANDARD GRADE

- Exceeds ANZI Z87.1-2010 Impact requirements
- High Grade Polycarbonate Lenses
- Provides 99% UV protection

GWP-YLSG YELLOW GWP-CLSG CLEAR GWP-AMBLSG AMBER



ELITE

- 5-position ratchet, 4-position telescoping temples
- Soft, non-slip rubber nosepiece
- Polycarbonate, High Impact lenses
- Ventilation channel between lense & frame reduce fogging
- Exceeds ANSI Z87.1-2010 High Impact Requirement
- Provides 99% Ultra Violet (UV) protection

GWP-XSGL-AMB AMBER
GWP-XSGL-CLR CLEAR
GWP-XSGL-VER VERMILLION
GWP-XSGL-ICE TINT



EYE PROTECTION

25

CROSSHAIR

- Polycarbonate, High Impact lenses
- Exceeds ANSI Z87.1-2010 High Impact Requirement
- Provides 99% Ultra Violet (UV) protection

GWP-SGL-SMK SMOKE GWP-SGL-AMB AMBER GWP-SGL-CLR CLEAR



FULL COVERAGE

- Designed to be worn over existing glasses
- Polycarbonate, High Impact lenses
- Exceeds ANSI Z87.1-2010 High Impact Requirement
- Provides 99% Ultra Violet (UV) protection
- Wraparound visible design
- Design allows air to flow freely

GWP-FCSLGL-CLR CLEAR GWP-FCSLGL-AMB AMBER



CLEARVIEW

- Polycarbonate, High Impact lenses
- Exceeds ANSI Z87.1-2010 High Impact Requirement
- Provides 99% Ultra Violet (UV) protection
- Wraparound visible design
- Design allows air to flow freely

GWP-WRSGL-CLR CLEAR GWP-WRSGL-AMB AMBER



GSMSAFETYPRODUCTS.COM WALKER'S

IMPACT PROTECTION GLOVE

- Impact bumpers provide knuckle, metacarpal and finger protection
- Abrasion, cut, tear, and puncture resistant
- Dual purpose industrial/sport design
- Palm with foam padding dissipates high-impact energy and vibrations
- Shirred elastic wristband
- Orange Kevlar® thread stitching

TAN AND YELLOW

SMALL MEDIUM

LARGE GWP-SF-GOATIL2A4-XL XTRA LARGE



EXTRA PROTECTION

IMPACT & CUT RESISTANT GLOVE

- Heavy Duty 7 gauge aramid with steel wire
- Micro-foam Nitrile palm coating for improved grip and durability
- Custom Designed impact bumpers on back of hand for increased dexterity and impact protection
- Abrasion, cut, tear and puncture resistant
- Breathable

GWP-SF-KV007F-ACA7-S SMALL GWP-SF-KV007F-ACA7-M MEDIUM **GWP-SF-KV007F-ACA7-L LARGE**

GWP-SF-KV007F-ACA7-XL XTRA LARGE





IMPACT & CUT RESISTANT GLOVE

- 13 gauge HPPE shell
- Foam Nitrile palm coating for improved grip and durability
- Thermal Plastic Rubber (TPR) impact bumpers on back of hand for impact protection without compromising dexterity
- Kevlar® Reinforced thumb saddle for long lasting durability
- Elastic knitted wristband keeps out dirt and debris

GWP-SF-13GHNIA4-SM SMALL GWP-SF-13GHNIA4-MD MEDIUM GWP-SF-13GHNIA4-LG LARGE





IMPACT PROTECTION GLOVE

- Impact bumpers provide knuckle, metacarpal and finger protection
- Abrasion, cut, tear, and puncture resistant
- Dual purpose industrial/sport design
- Synthetic leather palm with foam padding dissipates high-impact energy and vibrations
- Hook and loop wristband closure

GWP-SF-HVFFIL2-SM SMALL GWP-SF-HVFFIL2-MD MEDIUM GWP-SF-HVFFIL2-LG LARGE GWP-SF-HVFFIL2-XL XTRA LARGE







• 4 layers of material for superior warmth - synthetic leather, thinsulate c-40 gram, water barrier and micro fleece fabric

GWP-SF-HVFFIL2W-SM GWP-SF-HVFFIL2W-MD GWP-SF-HVFFIL2W-LG GWP-SF-HVFFIL2W-XL

SMALL MEDIUM LARGE XTRA LARGE







IMPROVED GRIP

COLD WEATHER

- Polyurethane diamond pattern palm and pull strap to enhance grip
- PU foam padding in palm dissipates high-impact energy and vibrations

GWP-SF-HVFFILPUIL2-SM SMALL GWP-SF-HVFFILPUIL2-MD MEDIUM GWP-SF-HVFFILPUIL2-LG LARGE GWP-SF-HVFFILPUIL2-XL XTRA LARGE









COOLING GLOVE

- 15 gauge poly/blend knitted shell
- Constructed with Coolmax® fabric technology to keep you cool and wick away perspiration
- Foam latex palm coating for grip confidence in dry and wet conditions
- Elastic knitted wristband keeps out dirt and debris

GWP-SF-15BPCFL-SM SMALL GWP-SF-15BPCFL-MD MEDIUM GWP-SF-15BPCFL-LG LARGE GWP-SF-15BPCFL-XL XTRA LARGE





ANSI **CUT LEVEL GWP-SF-13GHNIA4-XL** XTRA LARGE

GSMSAFETYPRODUCTS.COM



A4 CUT RESISTANT GLOVE

- 13 gauge HPPE knitted shell
- Abrasion, Cut, Tear, and Puncture resistant
- Foam Nitrile palm coating provides nonslip grip

GWP-SF-13GHNA4-XL XTRA LARGE

• Elastic knitted wristband keeps out dirt and debris

GWP-SF-13GHNA4-SM SMALL GWP-SF-13GHNA4-MD MEDIUM GWP-SF-13GHNA4-LG LARGE









A3 CUT RESISTANT GLOVE

- 15 gauge HPPE knitted shell for high dexterity
- Abrasion, Cut, Tear, and Puncture resistant
- Poly Urethane palm coating for low particulate shed and less bulk
- Elastic knitted wristband keeps out dirt and debris

GWP-SF-15RHPUA2-SM SMALL GWP-SF-15RHPUA2-MD MEDIUM

GWP-SF-15RHPUA2-LG LARGE GWP-SF-15RHPUA2-XL XTRA LARGE





IMPROVED GRIP

Sandy Nitrile palm coating provides improved grip in all situations

GWP-SF-15BHFNA3-SM SMALL GWP-SF-15BHFNA3-MD MEDIUM GWP-SF-15BHFNA3-LG LARGE

GWP-SF-15BHFNA3-XL XTRA LARGE









A2 CUT RESISTANT GLOVE

- 18 gauge HPPE knitted shell
- Abrasion, Cut, Tear, and Puncture resistant
- Poly Urethane palm coating
- Elastic knitted wristband keeps out dirt and debris
- High Dexterity

GWP-SF-DY1850PU-A2-S SMALL GWP-SF-DY1850PU-A2-M MEDIUM GWP-SF-DY1850PU-A2-L LARGE

GWP-SF-DY1850PU-A2-X XTRA LARGE





COATED NYLON GLOVE

- High Dexterity light weight hand protection
- 15 Gauge nylon knitted shell
- Foam Nitrile palm coating provides nonslip grip
- Elastic knitted wristband keeps out dirt and debris

GWP-SF-15BKFNP-SM SMALL GWP-SF-15BKFNP-MD MEDIUM GWP-SF-15BKFNP-LG LARGE

GWP-SF-15BKFNP-XL XTRA LARGE



4121XX



XTRA GRIP


 Foam Nitrile palm coating with dotted palm overlay provides for extra grip and durability

GWP-SF-15BKFNDP-SM SMALL GWP-SF-15BKFNDP-MD MEDIUM GWP-SF-15BKFNDP-LG LARGE **GWP-SF-15BKFNDP-XL** XTRA LARGE











SURVEYOR SAFETY VEST

- Class 2 surveyor vest
- Woven fabric bias tape and heavy black webbing reinforcement
- Pockets:
 - Front left side and right side bottom pocket
- Large radio/cell phone pocket with clear ID badge holder on right breast
- Left breast split pencil pocket and phone holder
- 2 full inside pockets large enough for iPad
- Large back pocket across entire back

GREEN

GWP-SF-VSUR-GR-SM **SMALL** GWP-SF-VSUR-GR-MD MEDIUM GWP-SF-VSUR-GR-LG LARGE GWP-SF-VSUR-GR-XL X LARGE **GWP-SF-VSUR-GR-XX** XX LARGE



- Zip-up front
- Heavy chrome snaps on back pocket
- Silver 2" class 2 polyester reflective tape accordance with ANSI 107 coverage and ANSI type R class 2 placement
- 2 grommet at the neck for lanyards
- 100% polyester mesh and 100% solid twill (pockets)
- 110gsm poly mesh background material

ORANGE

GWP-SF-VSUR-OR-SM SMALL GWP-SF-VSUR-OR-MD MEDIUM GWP-SF-VSUR-OR-LG LARGE GWP-SF-VSUR-OR-XL X LARGE **GWP-SF-VSUR-OR-XX** XX LARGE

SINGLE COLOR SAFETY VEST

- Class 2 safety vest
- 110gsm poly mesh background material
- Polyester reflective tape in accordance with ANSI Type R Class 2 placement
- 1 chest pocket and 1 inside pocket

ZIPPER - GREEN

GWP-SF-VSC-ZIP-SM-GR SMALL GWP-SF-VSC-ZIP-MD-GR MEDIUM GWP-SF-VSC-ZIP-LG-GR LARGE GWP-SF-VSC-ZIP-XL-GR X LARGE **GWP-SF-VSC-ZIP-XX-GR XX LARGE**

ZIPPER - ORANGE

GWP-SF-VSC-ZIP-SM-OR SMALL GWP-SF-VSC-ZIP-MD-OR MEDIUM GWP-SF-VSC-ZIP-LG-OR LARGE GWP-SF-VSC-ZIP-XL-OR X LARGE GWP-SF-VSC-ZIP-XX-OR XX LARGE

VELCRO - GREEN

GWP-SF-VSC-HL-SM-GR SMALL GWP-SF-VSC-HL-MD-GR MEDIUM GWP-SF-VSC-HL-LG-GR LARGE GWP-SF-VSC-HL-XL-GR X LARGE **GWP-SF-VSC-HL-XX-GR XX LARGE**

VELCRO - ORANGE

GWP-SF-VSC-HL-SM-OR SMALL **GWP-SF-VSC-HL-MD-OR MEDIUM GWP-SF-VSC-HL-LG-OR LARGE GWP-SF-VSC-HL-XL-OR** X LARGE GWP-SF-VSC-HL-XX-OR XX LARGE

DUAL COLOR SAFETY VEST

- Class 2 safety vest
- 110gsm poly mesh background material
- Polvester reflective tape in accordance with ANSI Type R Class 2 placement
- 1 chest pocket and 1 inside pocket

ZIPPER - GREEN WITH ORANGE STRIPE

GWP-SF-VDC-ZIP-SM-GR SMALL GWP-SF-VDC-ZIP-MD-GR MEDIUM GWP-SF-VDC-ZIP-LG-GR LARGE GWP-SF-VDC-ZIP-XL-GR X LARGE **GWP-SF-VDC-ZIP-XX-GR** XX LARGE

ZIPPER - ORANGE WITH GREEN STRIPE

GWP-SF-VDC-ZIP-SM-OR SMALL GWP-SF-VDC-ZIP-MD-OR MEDIUM GWP-SF-VDC-ZIP-LG-OR LARGE GWP-SF-VDC-ZIP-XL-OR X LARGE **GWP-SF-VDC-ZIP-XX-OR XX LARGE**



VELCRO - GREEN WITH ORANGE STRIPE

GWP-SF-VDC-HL-SM-GR SMALL GWP-SF-VDC-HL-MD-GR MEDIUM **GWP-SF-VDC-HL-LG-GR** LARGE **GWP-SF-VDC-HL-XL-GR** X LARGE GWP-SF-VDC-HL-XX-GR XX LARGE

VELCRO - ORANGE WITH GREEN STRIPE

GWP-SF-VDC-HL-SM-OR SMALL GWP-SF-VDC-HL-MD-OR MEDIUM **GWP-SF-VDC-HL-LG-OR** LARGE **GWP-SF-VDC-HL-XL-OR** X LARGE **GWP-SF-VDC-HL-XX-OR** XX LARGE

GSMSAFETYPRODUCTS.COM 30 **WALKER'S**

INCLUDES DETACHABLE

RED LENS

INCLUDES DETACHABLE

RED LENS

10

CVCLOPS

6000 LUMENS IPX67

REVO 6000 SPOTLIGHT

- Super Bright 3 CREE® XHP70.2 70 Watt LED
- Tri-Mode illumination: High / Low / S.O.S.
- Powered by rechargeable Lithium batteries (7.4V 2600mAh)
- Bottom flood LED for close range lighting or as a lantern
- Auto brightness reduction after 20 minutes
- Included 120cm Micro USB cord
- Includes dual function DC 12~24V car charger/adapter (output: DC 9V 1A) with heavy-gauge 3m(10ft) coil cord and 5 A fuse tube, which operates from a DC receptacle for charging battery in spotlight or continuous corded operation at 30% brightness
- Floatable Housing
- PC Tail cap glows in the dark

CYC-SPL-6X









REVO 4500 SPOTLIGHT

- Super Bright 3 CREE® XHP50.2 45 Watt LED
- Tri-Mode illumination: High / Low / S.O.S.
- Powered by rechargeable Lithium batteries (7.4V 2000mAh)
- Auto brightness reduction after 5 minutes
- Included 120cm Micro USB cord
- Includes dual function DC 12~24V car charger/adapter (output: DC 9V 1A) with heavy-gauge 3m(10ft) coil cord and 5 A fuse tube, which operates from a DC receptacle for charging battery in spotlight or continuous corded operation at 30% brightness
- Floatable Housing
- PC Tail cap glows in the dark

CYC-SPL45X



RS 4000 SPOTLIGHT

RECHARGEABLE

- Super Bright 3 CREE® XHP50.2 50 Watt LED
- Tri-Mode illumination: High / Low / S.O.S.
- Powered by rechargeable Lithium batteries (7.4V 2600mAh)
- Auto brightness reduction after 5 minutes
- Included 120cm Micro USB cord
- Includes dual function DC 12~24V car charger/adapter (output: DC 9V 1A) with heavy-gauge 3m(10ft) coil cord and 5 A fuse tube, which operates from a DC receptacle for charging battery in spotlight or continuous corded operation at 30% brightness
- Floatable Housing
- Shatter proof aluminum head
- PC Tail cap glows in the dark

CYC-SP4000



HANDHELD OR STAND LANTERN OPTION



4000 LUMENS IPX67

ON HIGH BEAM MODE WATER RESISTANT

INCLUDES DETACHABLE RED & GREEN LENS

HANDHELD LIGHTS

RS 1600 SPOTLIGHT

- Super Bright CREE® XHP50.2 18 Watt LED
- Tri-Mode illumination: High / Low / S.O.S.
- Powered by rechargeable Lithium batteries (7.4V 2600mAh)
- Auto brightness reduction after 5 minutes
- Included 120cm Micro USB cord
- Includes dual function DC 12~24V car charger/adapter (output: DC 9V 1A) with heavy-gauge 3m(10ft) coil cord and 5 A fuse tube, which operates from a DC receptacle for charging battery in spotlight or continuous corded operation at 30% brightness
- Shatter proof aluminum head
- PC Tail cap glows in the dark

CYC-SP1600



HANDHELD OR STAND **LANTERN OPTION**



INCLUDES DETACHABLE RED & GREEN LENS

UPDATED

10 WATT LED SPOTLIGHT

900 LUMENS

500 METERS LONG RANGE DISTANCE

4.5 HOURS **BURN TIME ON HIGH**

- Super Bright CREE® XM-L2 10 Watt LED
- Powered by 1S2P rechargeable Li-ion battery (3.7V 4400mAh)
- Dual recharge, either AC/DC charger or 12V DC car plug adapter - both included
- Durable ABS Poly Carbonate housing with rubberized grip & bezel
- Auto brightness reduction after 5 minutes
- High/Low/Off
- Adjustable foot stand

LANTERN OPTION

Charging indicator

CYC-900HHS







WATERPROOF LED SPOTLIGHT UPDATED

HIGH

700

1.5 HOURS

LOW

S.O.S.

350 LUMENS

4 HOURS **BURN TIME**

N/A

4.5 HOURS

- Super Bright CREE® XM-L2 7 Watt LED
- IP67 Waterproof, fully immersible down to 1M, floatable
- Tough ABS, PC, Rubber and TPR housing materials
- Durable rubberized bezel
- Top adjustable bracket for hand or stand
- Magnetic switch with locking function
- Emergency whistle on attached lanyard
- Bright S.O.S. Red Strobe
- Powered by 1S1P Lithium rechargeable battery (3.7V 2200mAh) - included

CYC-700WP







10

CYCLOP

RECHARGEABLE HANDHELD LIGHTS

REVO 1100

LUMENS

1500 69 MINUTES

BURN TIME

- Dual Hi-Power CREE® XHP50 LED
- Vented housing to reduce heat build-up
- Ergonomically designed rubberized grip with trigger pulse switch
- Dual recharge, AC/DC adapter or 12V DC car adapter - both included
- Integrated Power Meter
- Always ON/OFF lock switch
- Powered by 6V 2.5Ah SLA battery

CYC-X1100H





SIRIUS 500

DUAL LIGHT SOURCE

3W HI-POWER LEDS

LUMENS

3 HOURS **BURN TIME**

30 LUMENS

 Ergonomically designed rubberized grip with trigger pulse switch

- Dual recharge, AC/DC adapter or 12V DC car adapter - both included
- Always ON lock switch
- Powered by 6V 2.5Ah SLA battery

CYC-X500H







BATTERY POWERED HANDHELD LIGHTS



• IP67 Waterproof, fully immersible down to 1M, floatable

Tough ABS, PC, Rubber and TPR housing materials

Durable rubberized bezel

- Top adjustable bracket for hand or stand
- Magnetic switch with locking function
- Emergency whistle on attached lanyard
- Powered by three Energizer® AA batteries included

CYC-350WPAA-RT

WATERPROOF



EMERGENCY WHISTLE ON ATTACHED LANYARD

FLIP UP STAND FOR HANDS FREE USE

MEVO 255

DUAL LIGHT SOURCE

HI-POWER CREE® LED

LUMENS

3 HOURS **BURN TIME**


17 LUMENS



3 WHITE LEDS







- Ergonomically designed rubberized grip with trigger pulse switch
- 6.125" (20.095mm) total height
- Integrated power meter
- Always ON/OFF lock switch
- Powered by four Energizer® AA batteries - included

CYC-X255H



INCLUDES DETACHABLE RED LENS

GSMSAFETYPRODUCTS.COM **CYCLOPS**

CYCLOPS MEVO 255

39

12V DIRECT



SPOTLIGHTS RECHARGEABLE

COLOSSUS

18 MILLION CANDLE POWER

20 MINUTESBURN TIME ON HIGH

- Phillips 12V H4 130/100 Watt Halogen bulb with 2-power level adjustment
- Durable rubberized construction
- Equipped with 2 6V sealed lead acid batteries
- Dual recharge, either AC/DC charger or 12V DC car plug adapter - both included

C18MIL







10 WATT LED

DUAL MODE ILLUMINATION

ON HIGH BEAM

ON LOW BEAM

LUMENS

1 HOUR 850 LUMENS BURN TIME

280 3 HOURS **BURN TIME**

- Super Bright CREE® XML 10 Watt LED
- Up to 1400-FT beam distance on High Mode
- Up to 850-FT beam distance on Low Mode
- Dual recharge, AC/DC adapter or 12V DC car adapter - both included
- Compact design with adjustable swivel stand
- Powered by 4V sealed lead acid battery

CYC-10W







12V DC SPOTLIGHT

1400 LUMENS

450 METERS LONG RANGE BEAM DISTANCE

- High Intensity 105 Watt Halogen Bulb
- Direct use with 12V DC plug adapter
- Heavy gauge coiled cord extends up to 10-FT (3M)
- Aluminum Reflector with tempered glass lens
- ON/OFF sliding switch
- Durable ABS plastic housing
- Retractable metal hanging bracket
- Contoured rubberized grip

CYC-HS140012V



SEEKER PRO

1500

500 METERS LONG RANGE BEAM DISTANCE

- High Intensity 105 Watt Halogen Bulb
- Direct use with 12V DC plug adapter
- 5" metal reflector with tempered glass lens
- Durable ABS plastic housing
- Retractable metal bracket Heavy gauge 10-FT (3M) coiled cord - included
- ON/OFF rocker switch

CYC-S150012VR



SPOTLIGHTS 12V DIRECT

MARINE SERIES

ATV SPOTLIGHT

1500 LUMENS BY DC 13.8V

500 METERS

LONG RANGE BEAM DISTANCE

- Mounts easily to handle bars up to 1" in diameter
- Tough polypropylene body housing is flex-fatigue resistant, heat resistant and corrosion resistant
- Detachable for hand held use up to 11-FT away with heavy gauge coiled cord
- U-shape steel bracket for easy directional illumination
- 5" aluminum reflector with tempered glass lens
- Slide ON/OFF switch

CYC-ATV12V



STEEL HANDLE WITH SOFT EVA FOAM COVER FOR A NO-SLIP GRIP

NEW 12V/24V DIRECT LED SPOTLIGHT

WIRELESS REMOTE CONTROL OPERATION



LED FLOOD LIGHT LENS

- Operates at 12V/24V DC, heavy guage cord extends up to 8-FT
- Heavy Duty Magnet Bottom Mount
- Remote Controller to change directions
- 100° Vertical Tilt
- UV Ray and Saltwater Resistant
- Waterproof Remote Control





UPDATED

8 WATT LED SPOTLIGHT

750 LUMENS

500 METERS

LONG RANGE DISTANCE

- Super Bright CREE® XM-L2 8 Watt LED
- Powered by 1S2P rechargeable Li-ion battery (3.7V 4400mAh) - included
- Durable ABS/TPR housing
- Auto brightness reduction after 5 min.

CYC-750HHS-MAR



5 HOURS BURN TIME ON HIGH

- Rubberized grip
- Adjustable foot stand
- Charging indicator
- ON/OFF switch function



CVCLOPS

WATERPROOF LED SPOTLIGHT



















- Super Bright CREE® XP-G2 3 Watt LED
- IP67 Waterproof, fully immersible down to 1M, floatable
- Tough ABS, PC, Rubber and TPR housing materials
- Durable rubberized bezel
- Magnetic switch with locking function
- Powered by 1S1P Lithium rechargeable (3.7V 2200mAh) included
- Top adjustable bracket for hand or stand

CYC-300WP-MAR





12V DIRECT

1400 LUMENS

450 METERS LONG RANGE DISTANCE

- High Intensity 100 Watt Halogen Bulb
- Direct use with 12V DC plug adapter
- Heavy gauge coiled cord extends up to 10-FT (3M)
- Durable ABS plastic housing
- CYC-HS1400-MAR

- Aluminum Reflector with tempered glass lens
- Retractable metal hanging bracket
- Contoured rubberized grip
- ON/OFF sliding switch







LED FLASHLIGHT/HAT CLIP COMBO

AVIATION GRADE FLASHLIGHT 80 5.5 HOURS LUMENS **BURN TIME**

FLASHLIGHT FEATURES

- Aviation Grade Anodized machined aluminum
- Durable, Shock, Dust and Water resistant
- Light range up to 60 meters

CYC-FLHC

ULTRA MINI CAP LIGHTS 280 MINS LUMENS **BURN TIME**

CAP LIGHT FEATURES

- 4 super bright LED bulb illumination
- Top mount design doesn't obstruct line of vision
- Each powered by 2 CR-2032 batteries - included



APOLLO XP DUAL LANTERN/FLASHLIGHT

200 LUMENS ON FLASHLIGHT MODE

6 HOUR **BURN TIME ON HIGH**

- CREE® XPE 3 Watt LED bulb
- Spot to Flood Beam
- Magnifier Beam distance 600-FT
- Aviation Grade Anodized aluminum

CYC-LF200

Integrated hang hook

 Powered by 3 Duracell® AAA batteries - included

WATERPROOF

FISHING LIGHT

SUBMERSIBLE GREEN LED

1300

LUMENS

- Output 1300LM tested by DC 13.8V as ANSI standard
- Effectively attracts plankton and bait fish
- Durable transparent PVC and rubber materials
- Works using 12V DC red and black battery clips with 20-FT heavy-gauge cable
- Built in heavy zinc-alloy sinker
- Submersible up to 16-FT under water
- Watertight rubber caps bunged in both tube ends

CYC-SFL189-G

COB LED LIGHT SWITCH

180 LUMENS



- Versatile, 3 mounting options, no wiring required
- Perfect for garages, closets, and hunting cabins
- Includes attachment accessories: 2 magnets, 2 velcros, and 2 screws

CYC-COB-2PK

SPECIALTY LIGHTS

MAGNETIC FOLDING UTILITY LIGHT

3 WATT COB LED

180 2 HOURS LUMENS BURN TIME

100

LUMENS **BURN TIME** Dual magnets w/ 180° anchoring rotation

3 WATT LED

- Durable rubberized housing
- Soft Touch Power Button
- Lock & Release Pivot Button

CYC-WKCLP

- Adjustable heavy-duty clip mount
- Retractable Hook

3 HOURS

 Powered by 3 Energizer® AAA batteries - included





UTILITY LIGHT

3 WATT LED

RECHARGEABLE PEN STYLE

7 WATT COB LED

500 LUMENS

1 HOUR **BURN TIME**

180

1.5 HOURS LUMENS **BURN TIME**

- Durable rubberized housing
- Soft Touch Power Button
- Adjustable magnetic bracket stand
- Convenient magnetic pen clip
- Powered by 3.7v 750mAh rechargeable li-ion battery

CYC-COB500



DUAL COB FOLDING UTILITY

WITH MAGNETS AND HANGER

3 WATT ULTRA BRIGHT COB

250 HIGH: 4 HOURS | LOW: 18 HOURS **BURN TIME** LUMENS

5 WATT CREE® XPG LED

180 HIGH: 4 HOURS | LOW: 18 HOURS **LUMENS BURN TIME**

RED LED'S

SMD LUMENS

FLASH: 30 HRS | STROBE: 6.5 HRS

- Dual magnets with 360° anchoring rotation
- Durable rubberized protective cover
- Adjustable and multi-functional light positions
- Retractable Hook
- Powered by 6 Energizer® AAA batteries

CYC-WKLEDCOB



FLASHLIGHTS

14 LED - 2 PACK

80 LUMENS ON HIGH BEAM MODE

5.5 HOURS **BURN TIME ON HIGH**

- Aviation Grade Anodized machined aluminum
- Durable, Shock, Dust and Water resistant
- Light range up to 60 meters
- Anti-Roll housing design
- Powered by 6 Energizer® AAA batteries included

CYC-FL14-2PK



12 LED - 2 PACK

60 LUMENS ON WHITE LED'S

6 HOURS **BURN TIME ON HIGH**

- 12 LED light source: 9 White, 2 Red and 1 Green bulb
- Aviation Grade Anodized machined aluminum
- Durable, Shock, Dust and Water resistant
- Light range up to 50 meters
- Powered by 6 Energizer® AAA batteries included

CYC-FL12-2PK





LED FLASHLIGHT

800 LUMENS | ON HIGH BEAM MODE

5 HOURS **BURN TIME ON HIGH**

BUAD MODE ILLUMINATION

- OSRAM P9 10 Watt LED bulb
- Machined aluminum and ABS plastic housing
- 4 Modes: 100% / 40% / 10% / SOS
- Light range up to 250 meters (100%)
- IPX7 Weather Resistant rating
- Durable Nylon Lanyard included
- Powered by 4 Energizer® AA batteries - included

CYC-FL700GB CYC-FL700GB-LG NEON GREEN

BLACK






CYC-FLX400

- Rechargeable Aluminum Flashlight with magnetic base and metal clip
- 3 Modes: 400 Lumen High, 160 Lumen - Low, and Flash
- 90° Swivel Head



Powered by 650mAh rechargeable

- battery included IPX6 Water Resistant rating



DUAL SPOTLIGHT/STROBE



CYC-1WF

- 1 Watt HI-Power LED bulb
- Magnifier Beam distance 328-FT
- Aviation Grade Anodized aluminum
- Powered by 3 Duracell® AAA batteries - included





CYC-TF1500

- CREE® XHP50 20 Watt LED bulb
- Spot to Flood magnifier beam distance up to 360 meters
- Aviation Grade Anodized aluminum housing
- Rear tactical power switch
- 3 Modes: 100% / 20% / SOS
- IPX7 Weather Resistant rating
- Powered by 6 AA batteries - included





- CREE® XPG3 6 Watt LED bulb
- Spot to Flood magnifier beam
- Aviation Grade Anodized aluminum housing



CYC-TF800

- distance up to 400 meters
- Rear tactical power switch
- 3 Modes: 100% / 20% / SOS
- IPX7 Weather Resistant rating
- Powered by 6 AA batteries - included



CYC-TF350

NEW

- CREE® XTE 5 Watt LED bulb
- Spot to Flood magnifier beam distance up to 150 meters

TF-350

- Durable Anodized aluminum alloy housing
- 3 Modes: 100% / 20% / SOS IPX4 Weather Resistant rating
- Powered by 3 Energizer® AAA batteries - included





150 LUMENS 3 HOURS ON HIGH BEAM MODE BURN TIME ON HIGH

CYC-TF150

NEW

- CREE® XTE 5 Watt LED bulb
- Spot to Flood magnifier beam distance up to 75 meters
- Durable Anodized aluminum alloy housing
- Rear tactical power switch IPX4 Weather Resistant rating
- Powered by 1 Energizer® AA battery - included



45

0

GSMSAFETYPRODUCTS.COM CYCLOPS

GLASS BREAKER



HEADLAMPS



HL-150

3 HOURS

2 HOURS

BURN TIME

BURN TIME

QUAD MODE ILLUMINATION



OFFERS IDEAL LIGHT EFFICIENCY & UNPARALLELED

LOW RED

HIGH

LED

RED FLASH BURN TIME

PIR Sensor Activation Mode

Powered by 3.7V/500mAh rechargeable battery

IPX6 Water Resistant Housing

• 360° Swivel Base for desired light position

USB charging cable - included





eFLEX 400

RECHARGEABLE



Ultra bright CREE® XP-G3 4W LED

• 4 Color LEDs: White, Red, Green and Blue

• 4 lighting modes: High / Medium / Low / SOS

Durable ABS housing

Adjustable Headband

Powered by 3.7V/400mAh rechargeable battery

USB charging cable - included

CYC-HL4X



TRIO 300



3 PACK



4 lighting modes: High / Low / Strobe / SOS

Durable ABS and PC housing

Adjustable Headband

ON HIGH BEAM MODE

Powered by 3 AAA batteries - included

CYC-HL-3PX





NEW

HL500

HI-PERFORMANCE

BUAD MODE ILLUMINATION

LUMENS

EXCLUSIVE HOUSING OPTICAL DESIGN FOR FOCUS/BROAD BEAM LONG DISTANCE VISION ENHANCEMENT HIGH LOW

RED LED

FLASH

10 HOURS **BURN TIME**

32 HOURS **BURN TIME 49** HOURS

BURN TIME 64 HOURS **BURN TIME**

Ultra bright CREE® 5W LED

IPX6 Water-Resistant housing

Powered by 3 Energizer® AAA batteries - included

DURABLE ABS HOUSING WITH CLEAR PROTECTIVE SHEILD

CYC-HL500

HL250 CONDUCTIVE TOUCH

TRI-MODE ILLUMINATION

CENTER CREE® LED

250 LUMENS

2.5 HOURS **BURN TIME ON HIGH** 4 HOURS

SIDE GREEN COB LED

SIDE WHITE COB LED

LUMENS 25 LUMENS

100

BURN TIME 25 HOURS **BURN TIME ON LOW**

CREE® XPG white - 250 Lumen high output

Shock & Weather Resistant housing

 On/Off touch pad is completely silent, will not accidentally turn on when stowed in backpacks, etc.

Powered by 3 Energizer® AAA alkaline batteries - included

CYC-HL25 CYC-HL250-2PK 2 PACK



XP FORCE

FIVE MODE ILLUMINATION



• Five lighting modes: 1 - High 350 Lumens

2 - Low 15 Lumens

3 - Red 3.2 Lumens 4 - Green 5.5 Lumens

5 - Blinking

Ultra bright CREE® XT-E S3 LED
 Small, lightweight & compact

Run Time - 3 hours to 64 hours

IPX6 Water resistant

 Powered by 3 Energizer® AAA batteries - included



CYC-HLFXP

1

HEADLAMPS

HAT CLIPS

RANGER XP

GUAD MODE ILLUMINATION

150 LUMENS 5 HOURS

• 4 mode lighting: 1 Watt CREE® center white light, 3 bottom green LEDS, 4 side red LEDS or side red LED strobe

- 3 layer adjustable nylon cross-strap elastic headband
- Durable ABS rubberized housing
- Weather resistant
- Powered by 3 Energizer® AAA batteries included

CYC-RNG1XP **BLACK** CYC-RNG1XP-CMO NXT CAMO





HL-210

GUAD MODE ILLUMINATION



• 4 mode lighting: 3 Watt center white light, 2 side green LEDS, 2 side red LEDS or 2 side white LEDS

- 3 power modes on 3 Watt bulb: High / Low / Strobe
- Adjustable stretch headband
- Rugged, shock & weather resistant housing
- Powered by 3 Energizer® AAA batteries included


CYC-HL210-2PK 2 PACK



TITAN XP

DUAL MODE ILLUMINATION





- Rugged, shock & weather resistant housing
- Adjustable stretch headband
- Powered by 3 Energizer® AAA batteries included

CYC-TITANXP

BLACK







- 5 super bright white LEDS
- Contoured shape fits cap brims securely, does not obstruct line of vision
- Powered by 2 CR-2032 lithium batteries included

CYC-HC5-W







• 5 super bright white LEDS with interchangeable light modules in white and green bulbs

Contoured shape fits cap brims securely, does not obstruct line of vision

• Light module tilts 45 degrees for desired light position Powered by 2 CR-2032 lithium batteries - included

CYC-HCDT-WG

BLACK WITH WHITE AND GREEN LEDS CYC-HCDT-WGNXT CAMO WITH WHITE AND GREEN LEDS

SNAP AND LOCK SYSTEM FOR QUICK AND EASY MODULE CHANGES





MICRO



- 5 super bright LEDS with built-in 15° angle tilt
- Ultra lightweight, top mount design does not obstruct vision
- Sturdy metal clip
- Powered by 2 CR-2016 lithium batteries included

CYC-MHC-W BLACK WITH WHITE LEDS CYC-MHC-G **BLACK WITH GREEN LEDS**

CYC-MHC2PK-W BLACK WITH WHITE LEDS - 2 PACK









FUSION WIRELESS CAMERAS TAKE THE GUESSWORK OUT OF CELLULAR ACTIVATION AND WILL HAVE YOU TRANSMITTING IMAGES IN A MATTER OF MINUTES WITH THEIR QUICK SCAN QR SET UP. COMBINED WITH STEALTH CAM'S NEW DATA PLANS, FUSION OFFERS AFFORDABLE OPTIONS FOR **EVERY BUDGET & NEED. STEALTH CAM FUSION - CELLULAR SIMPLIFIED.**

MEGAPIXEL IR RANGE

GLOBAL WIRELESS CAMERA ACCESS

- 2020 Server and APP Integration
- QR Code Scan Set-Up
- Best Night Images in price category

26 Megapixel (16MP/8MP/4MP)

4 Power IR Emitters

Reflex™ Trigger - 0.8 seconds

Matrix™ Advanced Blur Reduction

Retina™ Low Light sensitivity

16:9 Wide Image Ratio

Security Mode (re-write SD memory) **GEO-TAG GPS Tagging** Burst Mode 1-6 images per triggering

3-59 sec / 1- 59 min recovery time out

Time / Date / Moon Phase / Name Stamp

SD Card slot up to 32GB*

Operates on 8 AA batteries

External power jack for Solar Power Pack or 12V battery box













- NEW 2020 Stealth Cam Command APP & WEB Interface
- Modernized user interface & setup
- Web, app & mobile based access
- Dedicated cloud storage access images from anywhere on any device
- Shared access capable
- Create & manage galleries
- Integrated animal recognition & filtering Al software
- Program camera settings remotely





CELLULAR SERIES


QUICK SCAN QR SET UP













Select a data plan and enter payment 3



Activate your Fusion and program your 4



GSMSAFETYPRODUCTS.COM 50 STEALTH CAM











STC-GXATW • ATT NETWORK STC-GXVRW • VERIZON NETWORK

- GSM / 4G Network Compatible
- US / Canada / Mexico
- Transmits Images or Video Clips
- Camera Control & Image Management w/FREE Remote Link app
- Instant or Delayed Image Transmission
- Operate Multiple Cameras with one login
- Respective Carrier SIM Card included


MEGAPIXEL

IR RANGE

GLOBAL WIRELESS CAMERA ACCESS

- Improved Battery Life
- Recovery Timeout 1 Second
- Faster Trigger Speed
- Instant Group Upload
- Easy Setup Process
- New Facepalte
- HD Video recording 5-180 seconds w/ audio
- Smart Illumination Technology
- 42 NO GLO IR Emitters
- Range Control Adjustable PIR
- Security Mode (re-write SD memory)
- Reflex™ Trigger .5 seconds

- Retina™ Low Light sensitivity
- 16:9 Wide Image Ratio
- Burst Mode 1-9 images per triggering
- GEO-TAG GPS Tagging
- External power jack for optional Solar Power Pack or 12V battery box
- Operates on 12 AA batteries
- Secure Lock password protection
- Bilingual (English / French)



- Time / Date / Moon Phase / Temperature / Name Stamp

- Active Time Setting
- Preset Time & Date (CST)





NEW COMMAND APP FEATURES

HOME SCREEN:

- Set up and monitor multiple cameras
- Home screen dashboard displays cell signal, image count, battery level and memory card usage

SETTINGS:

- Set camera transmission schedule
- Adjust camera and wireless settings
- Erase memory card

IMAGES:

- View latest transmitted images and videos
- Create and manage galleries
- Delete images
- Pinch and Zoom images





PHOTO TRACKER:

- Logs photos & videos and provides data based on daily, weekly, monthly and yearly time periods
- Take Test Photo feature
- Notifications if battery life or SD card space is low
- Display camera's current FW version in Advanced Setting Menu
- Auto check for available cameras when entering app

- Share your captured images via email, text message, social media; virtually any method configured on your smart phone
- Set-up shared Google® folder within the APP for multi user access
- Added batch downloads for iOS



FLX-WIRELESS ACCESS. NO CELL PLAN EVER NEEDED!

2 FORMS OF CONNECTIVITY

IN FIELD: CAMERA TO MOBILE DEVICE

LOCAL NETWORK: CAMERA TO LOCAL NETWORK

CAMERA ACCESS WITHIN BLUETOOTH RANGE IR RANGE MEGAPIXEL UPDATED Wi-Fi BLUETOOTH®

- Improved Battery Life
- Recovery Timeout 1 Second
- Easy Setup Process
- Instant Group Upload
 - Reflex™ Trigger 0.4 seconds
- 1080P Video recording
- Smart Illumination Technology
- 42 IR Emitters
- Range Control Adjustable PIR
- Security Mode (re-write SD memory)
- Matrix™ Advanced Blur Reduction Retina™ Low Light sensitivity

- 16:9 Wide Image Ratio
- GEO-TAG GPS MetaTagging

SECURITY CAMERAS

- **Active Time Setting**
- Time / Date / Moon Phase / Temperature / Name Stamp
- Burst Mode 1-9 images per triggering
- Operates on 8 AA batteries
- Secure Lock password protection SD Card slot up to 512GB
- Multilingual: English / French German / Spanish
- Preset Time & Date (CST)

53





- FLX STEALTH CAM'S LATEST INNOVATION IN WIRELESS IMAGE ACCESS. IN FIELD IMAGE RETRIEVAL MADE EASY WITHOUT TOUCHING THE CAMERA, FLX'S DUAL BAND WIFI/BLUETOOTH CAPABILITIES OFFER THE FLEXIBILITY OF TWO DIFFERENT FORMS OF CONNECTIVITY VIA THE FREE REMOTE 4.0 APP.
- IN FIELD WIRELESS DOWNLOADS FROM UP TO 50-FT AWAY VIA THE CAMERA'S BUILT-IN WIFI TRANSMITTER.
- THE FLX MAY ALSO BE USED ON A LAN (LOCAL AREA NETWORK) SUCH AS HOME OR CABIN WIFI ROUTER TO ACCESS THE CAMERA'S IMAGES VIA THE STEALTH REMOTE APP FROM ANYWHERE YOUR MOBILE DEVICE HAS A SIGNAL.

GSMSAFETYPRODUCTS.COM STEALTH CAM

[&]quot;The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. Any use of such marks by Stealth Cam® is under license. Other trademarks and trade names are those of their respective owner.





PROFESSIONAL SERIES



4K, ALSO KNOWN AS ULTRA HD, REFERS TO A RESOLUTION OF 3840 X 2160 PIXELS, FOUR TIMES THE 1920 X 1080 PIXELS FOUND IN OUR STANDARD HD CAMERA MODELS. THAT'S RIGHT, 4X THE PIXELS OF REGULAR HD, SO BY INVESTING IN A 4K CAMERA YOUR FOOTAGE WILL BE AT SUCH A HIGH QUALITY, EDITING VIDEO AND EXTRACTING THE EXACT SHOT FRAME GOT A WHOLE LOT EASIER.



ULTRA HI-RES PERFORMANCE NO GLO IR RANGE

UPDATED

4K ULTRA HD VIDEO

- Dual Image Sensors
- 42 NO GLO IR Emitters
- Simultaneous image/video capture
- Range Control Adjustable PIR
- Security Mode (re-write SD memory)
- Reflex[™] Trigger 0.4 seconds
- Matrix™ Advanced Blur Reduction
- Retina™ Low Light sensitivity
- 16:9 Wide Image Ratio
- GEO-TAG GPS Meta Tagging
- Active Time Settings
- Preset Time & Date (CST)

Secure Lock password protection

- 5-59 second / 1-59 minute recovery time out
- Time / Date / Moon Phase /
- Temperature / Name Stamp
- Burst Mode 1-9 images per triggering, adjustable intervals 1, 3, 5, 10 seconds
- Quick Set pre-programmed option
- External power jack for optional Solar Power Pack or 12V battery box
- Operates on 12 AA batteries
- USB output
- Multilingual: English / French German / Spanish
- SD Card slot up to 512GB



DUAL IMAGE SENSORS

Setting	Day Resolution	Night Resolution	HD Video
Low	4 MP	2 MP	720P
Medium	8 MP	6 MP	1080P
High	16 MP	8 MP	QHD
Maximum	32 MP	14 MP	4K

SEEING IS BELIEVING.

SCAN THIS QR CODE TO **EXPERIENCE THE DS4K's** STUNNING VIDEO







ADVANCED NIGHT IMAGING

MIRES NIGHT IMAGING

THE PROGRESSIVE XV4 TAKES NIGHT TIME INFRARED IMAGING TO THE NEXT LEVEL. THIS NEW IMAGE SENSOR BRINGS AN IMPRESSIVE DEGREE OF CLARITY PLUS SHARP DETAIL PREVIOUSLY VOID IN INFRAREDTRAIL CAMERAS. THE XV4 MINIMIZES GRAIN AND MAXIMIZES AVAILABLE LIGHT IN ALL CONDITIONS.



MEGAPIXEL

NO GLO IR RANGE

DIGITAL VIDEO WITH AUDIO

UPDATED HI RES NIGHT IMAGING

- NEW PIR Combo Mode -Video with Photos
- Smart Illumination Technology
- 4 High Power IR Emitters
- Range Control Adjustable PIR
- Security Mode (re-write SD memory)
- Reflex[™] Trigger 0.4 seconds Matrix[™] Advanced Blur Reduction
- Retina™ Low Light sensitivity
- 16:9 Wide Image Ratio GEO-TAG GPS Meta Tagging
- Active Time Settings Preset Time & Date (CST)

- 1-59 second / 1-59 minute recovery time out
- Time / Date / Moon Phase / Temperature / Name Stamp
- Burst Mode 1-9 images
- Quick Set pre-programmed option
- External power jack for 12V battery box
- Secure Lock password protection Operates on 8 AA batteries
- USB output Bilingual: English / French
- SD Card slot up to 512GB





THE XV4X ALSO FEATURES SMART ILLUMINATION **TECHNOLOGY WHICH CONSTANTLY MONITORS LIGHT** CONDITIONS DURING THE CRITICAL DUSK AND DAWN TRANSITION PERIODS ADJUSTING THE IR ILLUMINATION TO PROVIDE THE BEST POSSIBLE COLOR IMAGES BEFORE SWITCHING IN AND OUT OF NIGHT MODE.

GSMSAFETYPRODUCTS.COM STEALTH CAM



ACCESSORIES

SDHC MEMORY CARDS

- Optimized for Trail Cameras
- Higher speed data transfers, lower power consumption
- Compatible with most digital cameras and other devices that feature an SD card slot

STC-8GB STC-16GB STC-32GB STC-2SD8GB 2 PACK













 Speed Class 10 - higher speed data transfers, lower power consumption

MICRO SD MEMORY CARDS

 Compatible with most digital cameras and other devices that feature a Micro SD card slot

STC-32MICSD STC-64MICSD





4-IN-ONE CARD READER

- 4-in-1 Card Reader USB C / Micro USB / USB 2.0 / Lightning
- View trail cam images on almost any device, supports OTG (On The Go)
 Android™ devices, Apple® iPhone® or iPad® via free iBrary Link app,
 standard USB connections on PC, Mac®, or tablet
- Compatible card types: SD™, SDHC™, SDXC™, MMC, MMC 4.0, microSD™, microSDHC™ and microSDXC™
- Meets CE, FCC and RoHS standards
- Includes adapters for both micro USB and Lightning® plug for use with cases

STC-QMCR

SOL-PAK SOLAR BATTERY PACK

- Designed as a sustainable solution for all trail cameras especially wireless/cellular trail cameras
- Easily mounts to trees and posts with durable nylon strap and serrated brackets - included
- 12V Amorphous Solar Panel works in low light conditions
- 1000mAh Li-ion Battery
- Notification LED indicates battery level
- Durable all-weather construction
- 10 FT insulated metal cable
- Dramatically extend the field life of your trail cam - maintenance free

STC-SOLP

12V SOLAR BATTERY BOX

- Sealed lead acid battery kit is compatible with trail cams equipped with external power jack
- SLA Battery Output: 12V 6Ah, Solar Panel Output: 12V 40mA
- Amorphous Silicon Solar Panel charges in all weather conditions, including cloudy days
- Weatherproof box with AC charger, 10 foot cable

HME-12VBBSLR

SECURITY BOXES

- Manufactured with powder coated all-steel construction to provide exact camera fit
- Theft and damage deterrent
- Can be lag-bolted, bungeed or belted to the tree
- Allows use of a padlock or Python® cable (sold separately)

STC-BB-LG LARGE SECURITY BOX

FLX SERIES, GMAX SERIES, DSK4 SERIES, WX4G SERIES, XV SERIES

STC-BB-SM SMALL SECURITY BOX

FUSION SERIES, QS SERIES, QV SERIES, PXP SERIES. FP SERIES



ACCESSORIES

PYTHON® CABLE LOCKS

- Multiple mounting options include direct bolt mount to tree, strap slots, as well as Python® security cable compatible slots
- Adjustable, cut-resistant braided steel-locking cable 5/16" (8mm) x 6" (1.08mm)

STC-CABLELOCK-BLK BLACK
STC-CABLELOCK-CMO REALTREE





HEAVY DUTY

TRAIL CAM HOLDER

- Rotates 360° and tilts up & down 120° for perfect camera placement
- Features unique mounting screw for increased stability
- Works with all 1/4" x 20mm thread insert

HME-BTCH



T-POST

TRAIL CAM HOLDER

- Vertical and Horizontal adjustment for perfect camera placement
- Lock washer to secure camera in place
- Works with all 1/4" x 20mm thread insert

HME-TPCH



EASY AIM

TRAIL CAM HOLDER

- Compact low profile design
- Full 360° rotational adjustment
- Full 360 Totational adjustmen
- 220° vertical adjustment
- Features camera locking knob for secure placement

57


 Works with all 1/4" x 20mm thread insert

HME-ETCH

TREE SCREW MOUNT - 3 PACK

- Durable rust resistant coating
- Includes 3 Tree Screw Mounts and all mounting hardware
- 1/4" tripod mount, compatible with any trail camera with 20 threaded insert at base of camera
- Versatile, mounts in various heights and angles for desired field of view

STC-TS-3PK



STEALTH CAM



HEAVY LIFT AND LOAD ASSISTANTS

RACK JACK™4X4

- 300lb weight capacity
- Approximately 84" lift height to the pulley
- One-time initial assembly
- (install winch, one bold, 2 pulleys)
- Less than one-minute field installation after initial assembly
- 11 gauge tubing
- Powder coating for durability
- 600lb rated winch
- Includes foot stabilizer for use on ATV/UTV
- Rotates 360° for easy loading





RACK JACK™II

- 300lb weight capacity
- Quick installation in the field
- Machined pulleys for long life and no-bind cranking
- Total weight of 42lbs
- 360° rotation for easy loading
- Simple assembly
- Optional ground stand allows use anywhere

RACK JACK™ MAGNUM

- Offset outrigger design for extra stability and lifting capacity
- Less than 2 minutes total set-up time
- Weighs 59lbs
- 650lb weight capacity
- Bearing plate allows items to be swiveled and loaded into the truck bed
- Engineered for years of trouble free use



UNIVERSAL LIFTING & TRANSPORT

- Carrier tilts for easy loading and easy lifting
- Easy rolling all terrain tires attach and detach with locking pin
- Hitch mount allows the carrier to attach to vehicle for transports
- 300lb weight capacity
- Versatile carrier for any cargo

VKS-VTG201





SWIVELIFT

- Patent pending hitch based lifting system
- Allows one person to easily and safely and unload heavy items
- Once item is secured to lifting platform hand winch is used to raise the load to slightly above tailgate level
- Lifts heavy or bulky items up to 300 lbs
- Powder coated steel, weighs 54lbs
- Platform dimensions: 36.5 x 21.25
- Assembles in under one minute
- Disassembles into 3 pieces Lifting platform, Vertical post and Receiver assembly

STACK RACK™

- Weighs 34lbs
- Internal basket dimensions: 17" x 32"
- Fold down for tailgate/liftgate access
- Multi-level carrying platforms
- Unique upper holding arms carry a variety of items

59

- Fits class 30 or 4 hitch receiver
- Weight rated to 300lbs

GSMSAFETYPRODUCTS.COM VIKING SOLUTIONS







ALL PARTY OF THE P		
	GSM	SAFETYPRODUCTS CO